

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)

SEARCH REQUEST FORM

Requestor's
Name:

Dwayne C. Jones

Serial

Number:

10/012,226

Date:

08 MAR 04

Phone:

2-0578

Art Unit:

1614

Mail Box

4c 70 Rem-en

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

Please search

claim 1 and 67 with the added terms and

the highlighted species

STAFF USE ONLY

Date completed:

3-9-04

Search Site

Vendors

THIS PAGE BLANK (USPTO)

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for the treatment of cancerous cell growth mediated by RAF kinase, comprising administering a compound of Formula I:

A - D - B

(I)

or a pharmaceutically acceptable salt thereof, wherein

D is -NH-C(O)-NH-,

A is a substituted moiety of up to 40 carbon atoms of the formula: -L-(M-L¹)_q, where L is a 5 or 6 membered cyclic structure bound directly to D, L¹ comprises a substituted cyclic moiety having at least 5 members, M is a bridging group having at least one atom, q is an integer of from 1-3; and each cyclic structure of L and L¹ contains 0-4 heteroatoms which are members of the group consisting of nitrogen, oxygen or and sulfur, and

B is a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D containing 0-4 heteroatoms which are members of the group consisting of nitrogen, oxygen or and sulfur,

wherein L¹ is substituted by at least one ~~substituent selected from the group consisting of~~ -SO₂R_x, -C(O)R_x or and -C(NR_y) R_z,

R_y is hydrogen or a carbon based moiety of up to 24 carbon atoms optionally containing one or more heteroatoms which are N, S, or O selected from N, S and O and optionally halosubstituted, up to ~~per-halo~~ per-halosubstitution,

R_z is hydrogen or a carbon based moiety of up to 30 carbon atoms optionally containing heteroatoms which are N, S, or O selected from N, S and O and optionally substituted by halogen, hydroxy or a and carbon based substituents of up to 24 carbon atoms[5] which optionally ~~contain~~ contains one or more heteroatoms which are N, S, or O selected from N, S and O and is

THIS PAGE BLANK (USPTO)

are optionally substituted by halogen;

R_x is independently chosen from R_z moieties or is R_a or NR_aR_b where R_a and R_b are

a) independently

i) hydrogen,

ii) a carbon based moiety of up to 30 carbon atoms optionally containing one or more heteroatoms which are selected from N, S or and O and optionally substituted by halogen, hydroxy or a and carbon based substituent substituents of up to 24 carbon atoms[7] which optionally ~~contain~~ contains one or more heteroatoms which are selected from N, S or and O and is are optionally substituted by halogen, or

iii) $-OSi(R_f)_3$ where R_f is hydrogen or a carbon based moiety of up to 24 carbon atoms optionally containing one or more heteroatoms which are N, S or O selected from N, S and O and optionally substituted by halogen, hydroxy or a and carbon based substituent substituents of up to 24 carbon atoms[7] which optionally ~~contain~~ contains one or more heteroatoms which are N, S, or O selected from N, S and O and is are optionally substituted by halogen; or

b) R_a and R_b together form a 5-7 member heterocyclic structure of 1-3 heteroatoms which are selected from N, S or and O, or a substituted 5-7 member heterocyclic structure of 1-3 heteroatoms which are selected from N, S or and O substituted by halogen, hydroxy or a carbon based substituent substituents of up to 24 carbon atoms[7] which optionally ~~contain~~ contains one or more heteroatoms which are N, S, or O selected from N, S and O and is are optionally substituted by halogen; or

c) one of R_a or R_b is $-C(O)-$, a C_1-C_5 divalent alkylene group or a substituted C_1-C_5 divalent alkylene group bound to the moiety L to form a cyclic structure with at least 5 members, wherein the one or more substituents substituent(s) of the substituted C_1-C_5 divalent alkylene group are selected from the group consisting of halogen, hydroxy, or a and carbon based substituent substituents of up to 24 carbon atoms[7] which optionally ~~contain~~ contains one or

THIS PAGE BLANK (USPTO)

more heteroatoms which are N, S, or O selected from N, S and O and is are optionally substituted by halogen;

where B is substituted, L is substituted or L¹ is additionally substituted, the one or more substituents are ~~selected from the group consisting of~~ halogen, up to per-halosubstitution per-halo, and W_n, where n is 0-3;

wherein each W is ~~independently selected from the group consisting of~~ -CN, -CO₂R⁷, -C(O)NR⁷R⁷, -C(O)-R⁷, -NO₂, -OR⁷, -SR⁷, -NR⁷R⁷, -NR⁷C(O)OR⁷, -NR⁷C(O)R⁷, -Q-Ar, or a and carbon based moiety moieties of up to 24 carbon atoms[;] optionally containing one or more heteroatoms which are N, S, or O selected from N, S and O and optionally substituted by one or more substituents which are ~~independently selected from the group consisting of~~ -CN, -CO₂R⁷, -C(O)R⁷, -C(O)NR⁷R⁷, -OR⁷, -SR⁷, -NR⁷R⁷, -NO₂, -NR⁷C(O)R⁷, -NR⁷C(O)OR⁷ or and halogen up to per-halosubstitution per-halo; with each R⁷ ~~independently being selected from~~ H or a carbon based moiety of up to 24 carbon atoms[;] optionally containing one or more heteroatoms which are N, S, or O selected from N, S and O and optionally substituted by halogen,

wherein Q is -O-, -S-, -N(R⁷)-, -(CH₂)_m-, -C(O)-, -CH(OH)-, -(CH₂)_mO-, -(CH₂)_mS-, -(CH₂)_mN(R⁷)-, -O(CH₂)_m-CHX^a-, -CX^a₂-, -S-(CH₂)_m- or and -N(R⁷)(CH₂)_m-, where m= 1-3, and X^a is halogen; and

Ar is a 5- or 6-member aromatic structure containing 0-2 heteroatoms which are members ~~selected from the group consisting of~~ nitrogen, oxygen or and sulfur, which is optionally substituted by halogen, up to per-halosubstitution, and optionally substituted by Z_{n1}, wherein n1 is 0 to 3 and each Z is ~~independently selected from the group consisting of~~ -CN, -CO₂R⁷, -C(O)R⁷, -C(O)NR⁷R⁷, -NO₂, -OR⁷, -SR⁷, -NR⁷R⁷, -NR⁷C(O)OR⁷, -NR⁷C(O)R⁷, or and a carbon based moiety of up to 24 carbon atoms[;] optionally containing one or more heteroatoms which are N, S, or O selected from N, S and O and optionally substituted by one or more substituents which are ~~selected from the group consisting of~~ -CN, -CO₂R⁷, -COR⁷, -C(O)NR⁷R⁷, -OR⁷, -SR⁷, -NO₂, -NR⁷R⁷, -NR⁷C(O)R⁷, or and -NR⁷C(O)OR⁷, with each R⁷ being independently as defined above.

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

N-(2-methoxy-5-(trifluoromethyl)phenyl)-*N'*-(4-(2-carbamoyl-4-pyridyloxy)phenyl) urea,
N-(2-methoxy-5-(trifluoromethyl)phenyl)-*N'*-(4-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,
N-(2-methoxy-5-(trifluoromethyl)phenyl)-*N'*-(4-(2-(*N*-methylcarbamoyl)-4-pyridylthio)phenyl) urea,

N-(2-methoxy-5-(trifluoromethyl)phenyl)-*N'*-(2-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea or and

N-(2-methoxy-5-(trifluoromethyl)phenyl)-*N'*-(3-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea; or

one of the following the 4-chloro-3-(trifluoromethyl)phenyl ureas:

N-(4-chloro-3-(trifluoromethyl)phenyl)-*N'*-(3-(2-carbamoyl-4-pyridyloxy)phenyl) urea, /
N-(4-chloro-3-(trifluoromethyl)phenyl)-*N'*-(3-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,
N-(4-chloro-3-(trifluoromethyl)phenyl)-*N'*-(4-(2-carbamoyl-4-pyridyloxy)phenyl) urea or and
N-(4-chloro-3-(trifluoromethyl)phenyl)-*N'*-(4-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea;

or one of the following the 4-bromo 3-(trifluoromethyl)phenyl ureas:

N-(4-bromo-3-(trifluoromethyl)phenyl)-*N'*-(3-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,
N-(4-bromo-3-(trifluoromethyl)phenyl)-*N'*-(4-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,
N-(4-bromo-3-(trifluoromethyl)phenyl)-*N'*-(3-(2-(*N*-methylcarbamoyl)-4-pyridylthio)phenyl) urea,
N-(4-bromo-3-(trifluoromethyl)phenyl)-*N'*-(2-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea or and
N-(4-bromo-3-(trifluoromethyl)phenyl)-*N'*-(3-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea; and

or one of the following the 2-methoxy-4-chloro-5-(trifluoromethyl)phenyl ureas:

THIS PAGE BLANK (USPTO)

N-(2-methoxy-4-chloro-5-(trifluoromethyl)phenyl)-*N'*-(3-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,

N-(2-methoxy-4-chloro-5-(trifluoromethyl)phenyl)-*N'*-(4-(2-(*N*-methylcarbamoyl)-4-pyridyloxy)phenyl) urea,

N-(2-methoxy-4-chloro-5-(trifluoromethyl)phenyl)-*N'*-(2-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea or and

N-(2-methoxy-4-chloro-5-(trifluoromethyl)phenyl)-*N'*-(3-chloro-4-(2-(*N*-methylcarbamoyl)(4-pyridyloxy))phenyl) urea, wherein said compound is administered in a pharmaceutical composition further comprising a pharmaceutically acceptable carrier.

68. (Currently Amended) A method for the treatment of solid cancers in a human comprising administering to a human a compound of Formula I:

A - D - B

(I)

or a pharmaceutically acceptable salt thereof in a pharmaceutical composition further comprising a pharmaceutically acceptable carrier, wherein

D is -NH-C(O)-NH-,

A is ~~a substituted moiety of up to 40 carbon atoms~~ of the formula: -L-(M-L¹)_q, where L is a 5 or 6 membered cyclic structure bound directly to D, L¹ comprises a substituted cyclic moiety having at least 5 members, M is a bridging group having at least one atom, q is an integer of from 1-3; and each cyclic structure of L and L¹ contains 0-4 heteroatoms which are members of the group consisting of nitrogen, oxygen or and sulfur, and

B is a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D containing 0-4 heteroatoms which are members of the group consisting of nitrogen, oxygen or and sulfur,

wherein L¹ is substituted by at least one substituent which is selected from the group

THIS PAGE BLANK (USPTO)

consisting of $-\text{SO}_2\text{R}_x$, $-\text{C}(\text{O})\text{R}_x$ or $-\text{C}(\text{NR}_y)\text{R}_z$,

R_y is hydrogen or a carbon based moiety of up to 24 carbon atoms optionally containing one or more heteroatoms which are N, S or O selected from N, S and O and optionally halosubstituted, up to per-halosubstitution per halo,

R_z is hydrogen or a carbon based moiety of up to 30 carbon atoms optionally containing one or more heteroatoms which are N, S or O selected from N, S and O and is optionally substituted by halogen, hydroxy or and a carbon based substituent substituents of up to 24 carbon atoms[,] which optionally ~~contains~~ contain one or more heteroatoms which are N, S or O selected from N, S and O and is are optionally substituted by halogen;

R_x is independently chosen from R_z moieties or is R_a or NR_aR_b where R_a and R_b are

a) independently

i) hydrogen,

THIS PAGE BLANK (USPTO)

ii) a carbon based moiety of up to 30 carbon atoms optionally containing heteroatoms which are selected from N, S or O and optionally substituted by halogen, hydroxy or a and carbon based substituent substituents of up to 24 carbon atoms[₅] which optionally ~~contain~~ contains one or more heteroatoms which are N, S or O selected from N, S and O and is are optionally substituted by halogen, or

iii). -OSi(R_f)₃ where R_f is hydrogen or a carbon based moiety of up to 24 carbon atoms optionally containing heteroatoms which are N, S or O selected from N, S and O and optionally substituted by halogen, hydroxy or a and carbon based substituent substituents of up to 24 carbon atoms[₅] which optionally ~~contain~~ contains one or more heteroatoms which are N, S or O selected from N, S and O and is are optionally substituted by halogen; or

b) R_a and R_b together form a 5-7 member heterocyclic structure of 1-3 heteroatoms which are N, S or O selected from N, S and O, or a substituted 5-7 member heterocyclic structure of 1-3 heteroatoms which are N, S or O selected from N, S and O substituted by halogen, hydroxy or a carbon based substituent substituents of up to 24 carbon atoms[₅] which optionally ~~contain~~ contains one or more heteroatoms which are N, S or O selected from N, S and O and is are optionally substituted by halogen; or

c) one of R_a or R_b is -C(O)-, a C₁-C₅ divalent alkylene group or a substituted C₁-C₅ divalent alkylene group bound to the moiety L to form a cyclic structure with at least 5 members, wherein the substituents of the substituted C₁-C₅ divalent alkylene group are ~~selected from the group consisting of~~ halogen, hydroxy, or a and carbon based substituent substituents of up to 24 carbon atoms[₅] which optionally ~~contain~~ contains one or more heteroatoms which are N, S or O selected from N, S and O and is are optionally substituted by halogen;

where B is substituted, L is substituted or L¹ is additionally substituted, the substituents are ~~selected from the group consisting of~~ halogen, up to per-halo or, and W_n W_n, where n is 0-3;

wherein each W is independently ~~selected from the group consisting of~~ -CN, -CO₂R⁷, -C(O)NR⁷R⁷, -C(O)-R⁷, -NO₂, -OR⁷, -SR⁷, -NR⁷R⁷, -NR⁷C(O)OR⁷, -NR⁷C(O)R⁷, -Q-Ar, or a and carbon based moiety ~~moieties~~ of up to 24 carbon atoms, optionally containing one or more

THIS PAGE BLANK (USPTO)

heteroatoms which are N, S or O ~~selected from N, S and O~~ and optionally substituted by one or more substituents which are independently selected from the group consisting of -CN, -CO₂R⁷, -C(O)R⁷, -C(O)NR⁷R⁷, -OR⁷, -SR⁷, -NR⁷R⁷, -NO₂, -NR⁷C(O)R⁷, -NR⁷C(O)OR⁷ or and halogen up to per-halosubstitution per-halo; with each R⁷ independently selected from H or a carbon based moiety of up to 24 carbon atoms[5] optionally containing heteroatoms which are N, S or O ~~selected from N, S and O~~ and optionally substituted by halogen,

wherein Q is -O-, -S-, -N(R⁷)-, -(CH₂)_m-, -C(O)-, -CH(OH)-, -(CH₂)_mO-, -(CH₂)_mS-, -(CH₂)_mN(R⁷)-, -O(CH₂)_m- CHX^a-, -CX^a₂-, -S-(CH₂)_m- or and -N(R⁷)(CH₂)_m-, where m= 1-3, and X^a is halogen; and

Ar is a 5- or 6-member aromatic structure containing 0-2 heteroatoms which are members ~~selected from the group consisting of~~ nitrogen, oxygen or and sulfur, which is optionally substituted by halogen, up to per-halosubstitution per-halo, and optionally substituted by Zn₁, wherein n1 is 0 to 3 and each Z is independently ~~selected from the group consisting of~~ -CN, -CO₂R⁷, -C(O)R⁷, -C(O)NR⁷R⁷, -NO₂, -OR⁷, -SR⁷, -NR⁷R⁷, -NR⁷C(O)OR⁷, -NR⁷C(O)R⁷, or and a carbon based moiety of up to 24 carbon atoms, optionally containing heteroatoms which are N, S or O ~~selected from N, S and O~~ and optionally substituted by one or more substituents which are ~~selected from the group consisting of~~ -CN, -CO₂R⁷, -COR⁷, -C(O)NR⁷R⁷, -OR⁷, -SR⁷, -NO₂, -NR⁷R⁷, -NR⁷C(O)R⁷, or and -NR⁷C(O)OR⁷, with R⁷ as defined above.

69. (Currently amended) A method for the treatment of carcinomas, myleoid disorders or adenomas in a human comprising administering to a human a compound of Formula I:

A - D - B

(I)

or a pharmaceutically acceptable salt thereof in a pharmaceutical composition further comprising a pharmaceutically acceptable carrier, wherein

D is -NH-C(O)-NH-,

A is ~~a substituted moiety of up to 40 carbon atoms~~ of the formula: -L-(M-L¹)_q, where L

THIS PAGE BLANK (USPTO)



STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 116243

TO: Dwayne C Jones
Location: REM-4C70
Art Unit: 1614
Tuesday, March 09, 2004

Case Serial Number: 10/042226

From: Barb O'Bryen
Location: Biotech-Chem Library
Remsen E01A69
Phone: 571-272-2518

barbara.obryen@uspto.gov

Search Notes

Q is defined but NOT tested Rule 126 claim 44?
1-3 cancelled
6,7-13 45, 14, 16, 20
15, 17-19 22-26, 29-31
21, 27, 28, 32 34-36, 40-42
37, 37-39, 43 51, 55-55
45-50, 52-51
66-121
In vitro ref Kinase Assay (p. 94)
human tumor cell lines (p. 95)
→ HCT116
OLD-1
In vivo assay (p. 8)
→ mice injected w/ human
colon adenocarcinoma cell line
Pending applications
US 09/889,227 -
US 09/948,915 - 2002/0042517
US 09/777,920 - 2002/165244
10/042,203 - paper
US 09/907,970 - 2002/013774 MW
US 09/993,647 - 2003/0181442
10/071,248 - 2
US 09/771,920 - 2002/165244
US 2003/207914
US 2003/181442
US 2003/144278 (12 JAN 04)
US 14 of 28 WO/2004/085857
US 2002/165,314 (07 FEB 2004)
US 2003/139,605
2002/165314
2002/137774
(12 JAN 04)
RN No. 154788-166
* 21 of 28 RN No. 154788-166
22 of 28 (SURAMIN)
25 of 28
2001/011155
WO 2000/042012
6 of 16
6 of 16
20 of 28
RN No. 154788-166

09/083,399 \Rightarrow 6,187,799

THIS PAGE BLANK (USPTO)

DETAILED ACTION

Status of Claims

1. Claims 1-3, 6-13, 15, 17-19, 21, 27, 28, 32, 33, 37-39, 4350, 52-54, and 66-121 are pending.
2. Claims 1-3, 6-13, 15, 17-19, 21, 27, 28, 32, 33, 37-39, 4350, 52-54, and 66-121 are rejected.

Information Disclosure Statement

3. The information disclosure statement filed on September 22, 2003 has been reviewed and considered, see enclosed copy of PTO FORM 1449.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims ???? are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.
6. *Regents of the University of California v. Eli Lilly & Co.*, 119 F.3d 1559, 1568 (Fed. Cir. 1997), cert. denied, 523 U.S. 1089, 118 S.Ct. 1548 (1980), holds that an adequate written description requires a precise definition, such as by structure, formula, chemical name, or physical properties, "not a mere wish or plan for obtaining the

THIS PAGE BLANK (USPTO)



STIC SEARCH RESULTS FEEDBACK FORM

Biotech-Chem Library

Questions about the scope or the results of the search? Contact *the searcher* or contact:

Mary Hale, Information Branch Supervisor
Remsen Bldg. 01 D86
571-272-2507

Voluntary Results Feedback Form

➤ I am an examiner in Workgroup: Example: 1610

➤ Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☒ Helped examiner better understand the invention.
- ☒ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC-Biotech-Chem Library, Remsen Bldg.



THIS PAGE BLANK (USPTO)

=> fil reg; d ide l15

FILE 'REGISTRY' ENTERED AT 15:51:25 ON 09 MAR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

DICTIONARY FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

L15 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 139691-76-2 REGISTRY

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

OTHER NAMES:

CN C-raf kinase

CN c-Raf serine/threonine kinase

CN c-raf-1 kinase

CN C-Raf-1 protein kinase

CN c-Raf-1 serine/threonine protein kinase

CN Gene c-Raf protein kinase

CN Gene c-raf-1 phosphoproteins

CN Gene raf serine/threonine kinase

CN Gene raf-1 kinase

CN Gene raf-1 protein kinase

CN p74raf-1 kinase

CN Phosphoproteins, gene RAF-1

CN Protein kinase c-Mil

CN Protein kinase c-Raf

CN Protein kinase Raf-1

CN **Raf kinase**

CN Raf mitogen-activated protein kinase kinase kinase

CN Raf-1 kinase

CN Raf-1 protein

CN Raf-1 protein kinase

CN Raf-1 protein serine kinase

CN Raf-1 protein serine/threonine kinase

CN RAF-1 serine/threonine kinase

CN Raf-1 serine/threonine protein kinase

CN Serine-threonine kinase RAF-1

CN Serine/threonine kinase pRaf-1

DR 144378-33-6

MF Unspecified

CI MAN

SR CA

LC STN Files: ADISNEWS, AGRICOLA, BIOBUSINESS, BIOSIS, CA, CAPLUS, CEN, CIN, PROMT, TOXCENTER, USPAT2, USPATFULL

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

1799 REFERENCES IN FILE CA (1907 TO DATE)

16 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

1802 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil reg; d stat que 194; fil capl; d que nos 199; fil medl cancer; d que nos 1103; d que nos 1112; d que nos 1115; s 1103 or 1112 or 1115
FILE 'REGISTRY' ENTERED AT 16:59:17 ON 09 MAR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.


STRUCTURE FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1
DICTIONARY FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>




*full file search done
on this structure*

NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE

L11 7207318 SEA FILE=REGISTRY ABB=ON NR>2 AND N>1 AND O/ELS
L13 40386 SEA FILE=REGISTRY SUB=L11 SSS FUL L9
L91 STR



*subset search done
on this structure
(claim 1)*

VAR G1=SO2/9/11
REP G2=(0-20) A - A = any non-hydrogen atom
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 13

STEREO ATTRIBUTES: NONE

L94 7087 SEA FILE=REGISTRY SUB=L13 SSS FUL L91

100.0% PROCESSED 40135 ITERATIONS

7087 ANSWERS

SEARCH TIME: 00.00.01

FILE 'CAPLUS' ENTERED AT 16:59:17 ON 09 MAR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Mar 2004 VOL 140 ISS 11

FILE LAST UPDATED: 8 Mar 2004 (20040308/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'CAPLUS' FILE

L9 STR
L11 7207318 SEA FILE=REGISTRY ABB=ON NR>2 AND N>1 AND O/ELS
L13 40386 SEA FILE=REGISTRY SUB=L11 SSS FUL L9
L15 1 SEA FILE=REGISTRY ABB=ON "RAF KINASE"/CN
L16 1802 SEA FILE=CAPLUS ABB=ON L15
L17 268 SEA FILE=CAPLUS ABB=ON L16(L) (INHIB?/OBI OR BLOCK?/OBI OR
ANTAG?/OBI)
L19 171014 SEA FILE=CAPLUS ABB=ON ANTITUMOR AGENTS+OLD/CT
L20 299255 SEA FILE=CAPLUS ABB=ON NEOPLASM#/CW
L21 13856 SEA FILE=CAPLUS ABB=ON ?ADENOMA?/BI
L23 130642 SEA FILE=CAPLUS ABB=ON ?CARCINOMA?/BI
L24 18537 SEA FILE=CAPLUS ABB=ON MYELOID/BI
L91 STR
L94 7087 SEA FILE=REGISTRY SUB=L13 SSS FUL L91
L95 3772 SEA FILE=CAPLUS ABB=ON L94
L97 62875 SEA FILE=CAPLUS ABB=ON LEUKEMI?/OBI
L99 19 SEA FILE=CAPLUS ABB=ON L95 AND (L19 OR L20 OR L21 OR L23 OR
L24 OR L97) AND L17

FILE 'MEDLINE' ENTERED AT 16:59:17 ON 09 MAR 2004

FILE 'CANCERLIT' ENTERED AT 16:59:17 ON 09 MAR 2004

L9 STR

L11 7207318 SEA FILE=REGISTRY ABB=ON NR>2 AND N>1 AND O/ELS
L13 40386 SEA FILE=REGISTRY SUB=L11 SSS FUL L9
L43 2700 SEA SURAMIN/CT
L45 305522 SEA C4./CT(L) DT/CT = Drug therapy of *neoplasms*
L46 186117 SEA L45/MAJ
L91 STR
L94 7087 SEA FILE=REGISTRY SUB=L13 SSS FUL L91
L100 7 SEA FILE=REGISTRY ABB=ON L94 AND (MEDLINE OR CANCERLIT)/LC
L101 2995 SEA L100
L103 4 SEA L46 AND L101 NOT L43

L43 2700 SEA SURAMIN/CT - *Many, many hits on this compound, so I*
L105 90864 SEA LEUKEMIA, MYELOID+NT/CT *gave you only review*
L106 98035 SEA ADENOMA+NT/CT *articles*
L107 505305 SEA CARCINOMA+NT/CT
L108 81568 SEA (L105 OR L106 OR L107) (L) DT/CT
L109 48256 SEA L108/MAJ
L110 1238 SEA L43/MAJ
L112 2 SEA L110 AND L109 AND AB/FA AND GENERAL REVIEW/DT

L43 2700 SEA SURAMIN/CT
L105 90864 SEA LEUKEMIA, MYELOID+NT/CT
L106 98035 SEA ADENOMA+NT/CT
L107 505305 SEA CARCINOMA+NT/CT
L108 81568 SEA (L105 OR L106 OR L107) (L) DT/CT
L109 48256 SEA L108/MAJ
L110 1238 SEA L43/MAJ
L111 45 SEA L110 AND L109
L114 1291872 SEA LUNG OR PANCREA? OR THYROID OR BLADDER OR COLON? OR
COLORECT?
L115 13 SEA L111 AND L114 - *Suramin "NOT" - ed out of this answer set*

L121 17 L103 OR L112 OR L115

=> dup rem 199,1121

FILE 'CAPLUS' ENTERED AT 16:59:25 ON 09 MAR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 16:59:25 ON 09 MAR 2004

FILE 'CANCERLIT' ENTERED AT 16:59:25 ON 09 MAR 2004
PROCESSING COMPLETED FOR L99
PROCESSING COMPLETED FOR L121


L122 28 DUP REM L99 L121 (8 DUPLICATES REMOVED)
ANSWERS '1-19' FROM FILE CAPLUS
ANSWERS '20-28' FROM FILE MEDLINE

=> d ibib ed abs hitstr 1-19; d iall 20-28

L122 ANSWER 1 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:656745 CAPLUS
DOCUMENT NUMBER: 139:197377
TITLE: Preparation of aryl ureas for therapeutic use as
kinase inhibitors
INVENTOR(S): Dumas, Jacques; Scott, William J.; Chien, Du-Schieng;

Lee, Wendy; Bjorge, Susan; Musza, Laszlo L.; Nassar, Ala; Riedl, Bernd
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: PCT Int. Appl., 64 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003068746	A1	20030821	WO 2003-US4109	20030211
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003216446	A1	20031120	US 2003-361859	20030211
PRIORITY APPLN. INFO.:			US 2002-354937P	P 20020211
OTHER SOURCE(S): MARPAT 139:197377				
ED Entered STN: 22 Aug 2003				
GI				



AB Aryl ureas, such as I [R = Cl, Br; R₂ = OH, NH₂, NHMe, NHCH₂OH, alkoxy; n = 0, 1], were prepd. for use in pharmaceutical compns. for the treatment of raf kinase and p38 kinase mediated diseases. These ureas are useful for the treatment of inflammation, osteoporosis, angiogenesis disorders and hyper-proliferative disorders, such as cancer. Thus, urea I (R = Cl, R₂ = NHMe, n = 1) was prepd. with 57% yield by N-oxidn. of I (R = Cl, R₂ = NHMe, n = 0) using 3-chloroperbenzoic acid in CH₂Cl₂ and THF. The prepd. ureas were assayed for inhibition of p38 kinase and raf kinase, as well as for cancer cell growth inhibition in human cancer cell lines, such as HCT116 and DLD-1.

IT 139691-76-2, Raf Kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of aryl ureas for therapeutic use as kinase inhibitors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)


*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 284461-74-1P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-carbamoyl(4-pyridyloxy)phenyl]urea 284462-18-6P
583840-03-3P 583840-04-4P 583840-09-9P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses).
(prepn. of aryl ureas for therapeutic use as kinase inhibitors)


RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284462-18-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 583840-03-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl-, 1-oxide (9CI) (CA INDEX NAME)




RN 583840-04-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, 1-oxide (9CI) (CA INDEX NAME)



RN 583840-09-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



IT 583840-05-5P 583840-06-6P 583840-07-7P


583840-08-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of aryl ureas for therapeutic use as kinase inhibitors)


RN 583840-05-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(hydroxymethyl)-, 1-oxide (9CI) (CA INDEX NAME)




RN 583840-06-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl-, 1-oxide (9CI) (CA INDEX NAME)




RN 583840-07-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(hydroxymethyl)-, 1-oxide (9CI) (CA INDEX NAME)



RN 583840-08-8 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, 1-oxide (9CI) (CA INDEX NAME)



IT 284461-73-0P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)(4-pyridyloxy)phenyl]urea
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of aryl ureas for therapeutic use as kinase inhibitors)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 2 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:656581 CAPLUS

DOCUMENT NUMBER: 139:197370

TITLE: Preparation of aryl ureas containing pyridine, quinoline and isoquinoline N-oxide functionality as kinase inhibitors

INVENTOR(S): Dumas, Jacques; Scott, William J.; Riedl, Bernd

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: PCT Int. Appl., 67 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003068229	A1	20030821	WO 2003-US4110	20030211
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003216396	A1	20031120	US 2003-361850	20030211
PRIORITY APPLN. INFO.:		US 2002-354935P P 20020211		
OTHER SOURCE(S):		MARPAT 139:197370		
ED Entered STN: 22 Aug 2003				
GI				



AB The title ureas contg. a pyridine, quinoline, or isoquinoline functionality which is oxidized at the nitrogen heteroatom MLBNHCONHA [A = (un)substituted Ph, naphthyl, 5-6 membered monocyclic heteroaryl, 8-10 membered bicyclic heteroaryl; B = (un)substituted phenylene, naphthylene, 5-6 membered monocyclic heteroarylene, 8-10 membered bicyclic heteroarylene; L = (CH₂)_mO(CH₂)_l, (CH₂)_m(CH₂)_l, (CH₂)_mCO(CH₂)_l, etc.; m, l = 0-4; M = (un)substituted pyridine-1-oxide, quinoline-1-oxide, isoquinoline-1-oxide; with the provisos] which are useful in the treatment of (i) raf mediated diseases, for example, cancer, (ii) p38 mediated diseases such as inflammation and osteoporosis, and (iii) VEGF mediated diseases such as angiogenesis disorders, were claimed. Prepn. of two ureas such as I [R = H, Me] which are not compds. of the invention, and have been distinguished from the compds. of the invention by a proviso, was described. Pharmaceutical compn. comprising the title ureas was claimed.

IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of aryl ureas contg. pyridine, quinoline and isoquinoline
N-oxide functionality as kinase inhibitors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT 284461-73-0

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of aryl ureas contg. pyridine, quinoline and isoquinoline
N-oxide functionality as kinase inhibitors)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c

arbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




IT 284461-74-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of aryl ureas contg. pyridine, quinoline and isoquinoline
N-oxide functionality as kinase inhibitors)

RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




IT 583840-03-3P 583840-04-4P

RL: SPN (Synthetic preparation); PREP (Preparation)

(prepn. of aryl ureas contg. pyridine, quinoline and isoquinoline
N-oxide functionality as kinase inhibitors)


RN 583840-03-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl-, 1-oxide (9CI) (CA INDEX NAME)



RN 583840-04-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, 1-oxide (9CI) (CA INDEX NAME)




REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 3 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:656575 CAPLUS
DOCUMENT NUMBER: 139:197476
TITLE: Preparation of aryl heterocyclyl ureas with raf kinase and angiogenesis inhibiting activity
INVENTOR(S): Dumas, Jacques; Scott, William J.; Elting, James; Hatoum-Makdad, Holia
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: PCT Int. Appl., 142 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003068223	A1	20030821	WO 2003-US4102	20030211
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			

US 2004023961 A1 20040205 US 2003-361844 20030211
PRIORITY APPLN. INFO.: US 2002-354948P P 20020211
ED Entered STN: 22 Aug 2003
GI



I

AB 283 Of the title ureas useful for treating diseases mediated by raf kinase and diseases mediated by the VEGF induced signal transduction pathway characterized by abnormal angiogenesis or hyperpermeability processes, were claimed. Synthesis of 6 ureas such as I was described. Thus, reacting 3-(tert-butyl)-1-(4-methylphenyl)pyrazole-5-ylamine with 4-(2-morpholin-4-ylethoxy)naphthylamine (prepn. given) and CDI in CH₂Cl₂ afforded 80% I which showed IC₅₀ of < 1 .mu.M in in vitro raf kinase and in in vitro Flk-1 ELISA assay.

IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of aryl heterocyclyl ureas with raf kinase and angiogenesis
inhibiting activity)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 285984-00-1P 285984-02-3P 285984-03-4P

294848-67-2P 294848-76-3P 294848-91-2P

294848-98-9P 294849-24-4P 294849-28-8P

294849-30-2P 294849-62-0P 294850-35-4P

294850-79-6P 294851-22-2P 294851-34-6P

294851-48-2P 294851-50-6P 294851-58-4P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(prepn. of aryl heterocyclyl ureas with raf kinase and angiogenesis
inhibiting activity)


RN 285984-00-1 CAPLUS

CN Benzamide, 5-[3-(1,1-dimethylethyl)-5-[[[4-[2-(4-morpholinyl)ethoxy]-1-naphthalenyl]amino]carbonyl]amino]-1H-pyrazol-1-yl]-2-methyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 285984-02-3 CAPLUS
CN Urea, N-[1-[3-[(dimethylamino)methyl]-4-methylphenyl]-3-(1,1-dimethylethyl)-1H-pyrazol-5-yl]-N'-[4-[2-(4-morpholinyl)ethoxy]-1-naphthalenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 285984-03-4 CAPLUS

CN Urea, N-[1-[3-[(dimethylamino)methyl]phenyl]-3-(1,1-dimethylethyl)-1H-pyrazol-5-yl]-N'-[4-[2-(4-morpholinyl)ethoxy]-1-naphthalenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294848-67-2 CAPLUS
CN Urea, N-[3-(1,1-dimethylethyl)-1-(4-methylphenyl)-1H-pyrazol-5-yl]-N'-[4-[4-[(3-pyridinylmethyl)amino]methyl]phenyl]-1-naphthalenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294848-76-3 CAPLUS
CN Benzamide, 5-[3-(1,1-dimethylethyl)-5-[[[[4-[6-(4-morpholinylmethyl)-3-pyridinyl]-1-naphthalenyl]amino]carbonyl]amino]-1H-pyrazol-1-yl]-2-methyl-
(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294848-91-2 CAPLUS
 CN Urea, N-[4-[4-[[bis(2-methoxyethyl)amino]methyl]phenyl]-1-naphthalenyl]-N'-[3-(1,1-dimethylethyl)-1-(6-methyl-3-pyridinyl)-1H-pyrazol-5-yl]- (9CI)
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294848-98-9 CAPLUS
 CN Urea, N-[4-[4-[[bis(2-cyanoethyl)amino]methyl]phenyl]-1-naphthalenyl]-N'-[3-(1,1-dimethylethyl)-1-(6-methyl-3-pyridinyl)-1H-pyrazol-5-yl]- (9CI)
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294849-24-4 CAPLUS
 CN Morpholine, 4-[[5-[4-[[[3-(1,1-dimethylethyl)-1-(6-methyl-3-pyridinyl)-1H-pyrazol-5-yl]amino]carbonyl]amino]-1-naphthalenyl]-2-pyridinyl]carbonyl]-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294849-28-8 CAPLUS
CN Urea, N-[4-[4-[[[(2-cyanoethyl)(3-pyridinylmethyl)amino]methyl]phenyl]-1-naphthalenyl]-N'-[3-(1,1-dimethylethyl)-1-(6-methyl-3-pyridinyl)-1H-pyrazol-5-yl]]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294849-30-2 CAPLUS
 CN Urea, N-[4-[4-[[[(2-cyanoethyl)[(tetrahydro-2-furanyl)methyl]amino]methyl]p
 henyl]-1-naphthalenyl]-N'-[3-(1,1-dimethylethyl)-1-(6-methyl-3-pyridinyl)-
 1H-pyrazol-5-yl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294849-62-0 CAPLUS
 CN Morpholine, 4-[[[5-[4-[[[3-(1,1-dimethylethyl)-1-(4-methylphenyl)-1H-pyrazol-5-yl]amino]carbonyl]amino]-1-naphthalenyl]-2-pyrimidinyl]carbonyl]-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294850-35-4 CAPLUS
CN Urea, N-[5-(1-cyanocyclopropyl)-2-methoxyphenyl]-N'-[4-[6-(4-morpholinylmethyl)-3-pyridinyl]-1-naphthalenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294850-79-6 CAPLUS
CN Urea, N-[4-[6-[[bis(2-methoxyethyl)amino]methyl]-3-pyridinyl]-1-naphthalenyl]-N'-[5-(1,1-dimethylethyl)-2-methoxyphenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294851-22-2 CAPLUS
 CN Urea, N-[4-[6-[[bis(2-cyanoethyl)amino]methyl]-3-pyridinyl]-1-naphthalenyl]-N'-[5-(1,1-dimethylethyl)-2-methoxyphenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294851-34-6 CAPLUS
 CN Urea, N-[4-[6-[[(2-cyanoethyl) [(tetrahydro-2-furanyl)methyl]amino)methyl]-3-pyridinyl]-1-naphthalenyl]-N'-[5-(1,1-dimethylethyl)-2-methoxyphenyl]-
 (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294851-48-2 CAPLUS
CN Urea, N-[5-(1,1-dimethylethyl)-2-methoxyphenyl]-N'-[4-[6-[[tetrahydro-3-furanyl)amino]methyl]-3-pyridinyl]-1-naphthalenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294851-50-6 CAPLUS
CN Urea, N-[4-[6-[[[(2-cyanoethyl)(3-pyridinylmethyl)amino]methyl]-3-pyridinyl]-1-naphthalenyl]-N'-[5-(1,1-dimethylethyl)-2-methoxyphenyl]]-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 294851-58-4 CAPLUS
CN Morpholine, 4-[[5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]-1-naphthalenyl]-2-pyridinyl]carbonyl]-(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 4 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:633416 CAPLUS

DOCUMENT NUMBER: 139:173786

TITLE: Method for treating diseases associated with abnormal kinase activity

INVENTOR(S): Lyons, John; Rubinfeld, Joseph

PATENT ASSIGNEE(S): SuperGen, Inc., USA

SOURCE: PCT Int. Appl., 64 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003065995	A2	20030814	WO 2003-US3537	20030206
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				

Searched by Barb O'Bryen, STIC 571-272-2518

LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ,
UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD,
RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG,
CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC,
NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG

US 2003147813 A1 20030807 US 2002-71849 20020207
PRIORITY APPLN. INFO.: US 2002-71849 A1 20020207
US 2002-206854 A1 20020726

ED Entered STN: 15 Aug 2003

AB Methods are provided for treating diseases assocd. with abnormal activity of kinases such as chronic myelogenous leukemia. The method comprises: administering a DNA methylation inhibitor to the patient in therapeutically effective amt.; and administering a kinase inhibitor such as imatinib mesylate to the patient in therapeutically effective amt., such that the in vivo activity of the kinase is reduced relative to that prior to the treatment. The method can be used to treat cancer assocd. with abnormal activity of kinases such as phosphatidylinositol 3'-kinase (PI3K), protein kinases including serine/threonine kinases such as Raf kinases, protein kinase kinases such as MEK, and tyrosine kinases such as those in the epidermal growth factor receptor family (EGFR), platelet-derived growth factor receptor family (PDGFR), vascular endothelial growth factor receptor (VEGFR) family, nerve growth factor receptor family (NGFR), fibroblast growth factor receptor family (FGFR) insulin receptor family, ephrin receptor family, Met family, Ror family, c-kit family, Src family, Fes family, JAK family, Fak family, Btk family, Syk/ZAP-70 family, and Abl family.

IT **139691-76-2**, Raf mitogen-activated protein kinase kinase kinase
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(Raf mitogen-activated protein kinase kinase; treatment of diseases assocd. with abnormal kinase activity with serine/threonine kinase **inhibitor** and DNA methylation **inhibitor**)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT **284461-73-0**, BAY 43-9006

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(treatment of diseases assocd. with abnormal kinase activity with serine/threonine kinase inhibitor and DNA methylation inhibitor)


RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



DOCUMENT NUMBER: 139:30782
TITLE: RAF-MEK-ERK pathway inhibitors to treat cancer
INVENTOR(S): Lyons, John F.; Bollag, Gideon
PATENT ASSIGNEE(S): Onyx Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 17 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003047523	A2	20030612	WO 2002-US38402	20021203
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003125359	A1	20030703	US 2002-308721	20021203
PRIORITY APPLN. INFO.:			US 2001-336886P	P 20011204
ED	Entered STN: 13 Jun 2003			
AB	Materials and methods for treating certain cancers are described, preferably cancers that result from the up-regulation of the RAF-MEK-ERK pathway, and more preferably chronic myelogenous leukemia, and which cancer is preferably resistant to the inhibitor of Bcr-Abl tyrosine kinase, imatinib.			
IT	284461-73-0, BAY 43-9006			
	RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (BAY 43-9006; RAF-MEK-ERK pathway inhibitors to treat cancer)			
RN	284461-73-0 CAPLUS			
CN	2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)			



IT 139691-76-2, Raf kinase
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(RAF-MEK-ERK pathway inhibitors to treat cancer)
RN 139691-76-2 CAPLUS
CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)


*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L122 ANSWER 6 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:874973 CAPLUS

DOCUMENT NUMBER: 139:364831
TITLE: Preparation of quinolyl, isoquinolyl or pyridyl ureas as inhibitors of raf kinase using
INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Sibley, Robert N.; Hatoum-Mokdad, Holia; Monahan, Mary-Katherine; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 26 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003207914	A1	20031106	US 2002-125369	20020419
PRIORITY APPLN. INFO.:			US 2001-367376P P	20010420

OTHER SOURCE(S): MARPAT 139:364831
ED Entered STN: 07 Nov 2003
AB Urea derivs. of general formula A-NHCONH-B, A'-CONH-B', and A''-NHCONH-B" or pharmaceutically acceptable salts thereof [wherein A = each (un)substituted tert-butylpyridyl, (trifluoromethyl)pyridyl, isopropylpyridyl, 2-methyl-2-butylpyridyl, or 3-methyl-3-pentylpyridyl; A' = each (un)substituted isoquinolinyl or isoquinolinyl; A" = substituted quinolinyl group; B, B' = independently, (un)substituted bridged cyclic structure of up to 30 carbon atoms of the formula -L-(ML1)q (wherein L comprises a cyclic moiety having at least 5 members and is bound directly to D; L1 comprises a cyclic moiety having at least 5 members; M is a bridging group having at least one atom, q is an integer of from 1-3, and each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur); B" = (un)substituted up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with a cyclic structure bound directly to D contg. at least 5 members with 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepd. These compds. are useful in treating raf-mediated diseases, in particular cancerous cell growth mediated by a raf kinase. All compds. exemplified, e.g. N-(4-tert-Butylpyridyl)-N'-(2,3-dichlorophenyl)urea, displayed IC50 of between 10 nM and 10 .mu.M against ref kinase.
IT 139691-76-2, Raf Kinase
RL: BSU (Biological study, unclassified); BIOL (Biological study) (prepn. of quinolyl, isoquinolyl or pyridyl ureas as inhibitors of raf kinase)
RN 139691-76-2 CAPLUS
CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
IT 432050-22-1P, N-(2-Methoxy-3-quinolinyl)-N'-[4-[2-(N-Methylcarbamyl)-4-pyridyloxy]phenyl]urea
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of quinolyl, isoquinolyl or pyridyl ureas as inhibitors of raf kinase)
RN 432050-22-1 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L122 ANSWER 7 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:874965 CAPLUS

DOCUMENT NUMBER: 139:364958

TITLE: Preparation of omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S. Pat. Appl. Publ., 60 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003207872	A1	20031106	US 2002-42226	20020111
PRIORITY APPLN. INFO.:			US 2002-42226	20020111

OTHER SOURCE(S): MARPAT 139:364958


ED Entered STN: 07 Nov 2003

AB Urea derivs. of formula A-NHCONH-B or pharmaceutically acceptable salts thereof [A = a substituted moiety of up to 40 carbon atoms of the formula -L-(M-L1)q; where L = a 5 or 6 membered cyclic structure bound directly to D; L1 = a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur; B = a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D contg. 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepd. These compds. are useful for raf mediated diseases, in particular a cancerous cell growth mediated by raf kinase. All compds. exemplified, e.g. N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea, displayed IC50 of between 1 mM and 10 .mu.M.

IT 604813-15-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[3-(5-methoxycarbonylpyridyl)oxy]phenyl]urea 620963-02-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(3-methoxycarbonylphenyl)carboxyaminophenyl]urea 620963-04-4P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(3-methylcarbamoylphenyl)carboxyaminophenyl]urea
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (intermediate; prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors for treating raf-mediated diseases such as cancerous cell growth)


RN 604813-15-2 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
 (CA INDEX NAME)



RN 620963-02-2 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]oxy]-, methyl ester (9CI) (CA INDEX NAME)




RN 620963-04-4 CAPLUS

CN Carbamic acid, compd. with 4'-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-N-methyl[1,1'-biphenyl]-3-carboxamide (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 620963-03-3


CMF C22 H17 Cl F3 N3 O2




CM 2

CRN 463-77-4

CMF C H3 N O2




IT 284461-86-5P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(methoxycarbonyl)-5-pyridyloxy]phenyl]urea 284462-06-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-[N-(2-triisopropylsilyloxyethyl)carbonyl]-4-pyridyl]oxy]phenyl]urea 284671-00-7P, N-[5-(Trifluoromethyl)-2-methoxyphenyl]-N'-[4-[3-(5-methoxycarbonylpyridyl)oxy]phenyl]urea
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors for treating raf-mediated diseases such as cancerous cell growth)
 RN 284461-86-5 CAPLUS
 CN 2-Pyridinecarboxylic acid, 5-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
 (CA INDEX NAME)



RN 284462-06-2 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI)
 (CA INDEX NAME)


PAGE 1-A



PAGE 1-B

Cl

RN 284671-00-7 CAPLUS
 CN 3-Pyridinecarboxylic acid, 6-[4-[[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
 (CA INDEX NAME)



IT 139691-76-2, Raf Kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase
inhibitors for treating raf-mediated diseases such as cancerous
cell growth)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 228418-48-2P 284461-33-2P 284461-34-3P
284461-35-4P 284461-36-5P 284461-37-6P
284461-40-1P 284461-41-2P 284461-42-3P
284461-43-4P 284461-44-5P 284461-45-6P
284461-46-7P 284461-47-8P 284461-48-9P
284461-49-0P 284461-50-3P 284461-51-4P
284461-52-5P 284461-53-6P 284461-55-8P
284461-57-0P 284461-58-1P 284461-60-5P
284461-61-6P 284461-62-7P 284461-63-8P
284461-64-9P 284461-65-0P 284461-66-1P
284461-67-2P 284461-68-3P 284461-70-7P
284461-71-8P 284461-72-9P 284461-73-0P
284461-74-1P 284461-75-2P 284461-76-3P
284461-78-5P 284461-79-6P 284461-80-9P
284461-81-0P 284461-82-1P 284461-83-2P
284461-84-3P 284461-85-4P 284461-88-7P
284461-89-8P 284461-90-1P 284461-91-2P
284461-92-3P 284461-93-4P 284461-94-5P
284461-95-6P 284461-96-7P 284461-97-8P
284461-99-0P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(3-
methylcarbamoylphenyl)carbamoylphenyl]urea 284462-01-7P
284462-02-8P 284462-03-9P 284462-04-0P
284462-05-1P 284462-07-3P 284462-08-4P
284462-09-5P 284462-10-8P 284462-11-9P
284462-12-0P 284462-13-1P 284462-15-3P
284462-16-4P 284462-17-5P 284462-18-6P
284462-19-7P 284462-20-0P 284462-21-1P
284462-22-2P 284462-23-3P 284462-24-4P
284462-25-5P 284462-26-6P 284462-27-7P
284462-28-8P 284462-29-9P 284462-30-2P
284462-31-3P 284462-34-6P 284462-35-7P,
N-[5-(tert-Butyl)-2-(2,5-dimethylpyrrolyl)phenyl]-N'-[4-[2-(N-
methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284462-36-8P
284462-70-0P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[N-[3-
[N-(3-pyridyl)carbamoyl]phenyl]carbamoyl]phenyl]urea 284670-98-0P
, N,N'-Bis[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea
447457-08-1P 573673-43-5P 604813-02-7P
604813-04-9P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[[3-[5-
(2-dimethylaminoethyl)carbamoyl]pyridyl]oxy]phenyl]urea
620962-97-2P 620962-98-3P 620962-99-4P
620963-00-0P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES

(Uses)

(prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors for treating raf-mediated diseases such as cancerous cell growth)


RN 228418-48-2 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-33-2 CAPLUS

CN Benzamide, 3-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-34-3 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[3-(1,1-dimethylethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-35-4 CAPLUS

CN Benzamide, 5-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-36-5 CAPLUS

CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-37-6 CAPLUS

CN Benzamide, 5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-40-1 CAPLUS

CN Urea, N-[6-(4-acetylphenoxy)-3-pyridinyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-41-2 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-44-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-45-6 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-46-7 CAPLUS
CN Benzamide, 2-methoxy-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-47-8 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-48-9 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-50-3 CAPLUS
CN 2-Pyridinecarboxamide, N-ethyl-4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-51-4 CAPLUS
CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-52-5 CAPLUS
CN Urea, N-[2-methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-53-6 CAPLUS
CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-55-8 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-57-0 CAPLUS
CN Urea, N-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-58-1 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-60-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-61-6 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-62-7 CAPLUS
CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-63-8 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-64-9 CAPLUS

CN 3-Pyridinecarboxamide, N-[2-(dimethylamino)ethyl]-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-65-0 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284461-66-1 CAPLUS

CN Piperazine, 1-(4-fluorophenyl)-4-[3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284461-67-2 CAPLUS

CN Benzamide, N-(4-fluorophenyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-68-3 CAPLUS

CN Benzamide, N-[4-(dimethylamino)phenyl]-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-70-7 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-71-8 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-[4-(2-pyridinyl)-1-piperazinyl]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-72-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-73-0 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-74-1 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)

arbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c(=O)N]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c(=O)N]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-78-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c(=O)N]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-79-6 CAPLUS

CN Benzenesulfonamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-80-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-82-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284461-83-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-84-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-85-4 CAPLUS

CN Benzenesulfonamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-88-7 CAPLUS

CN 2-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-89-8 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-90-1 CAPLUS

CN 1,3-Benzenedicarboxamide, N-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N'-methyl- (9CI) (CA INDEX NAME)




RN 284461-91-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-92-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-93-4 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-94-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(1-piperidinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-95-6 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(tetrahydro-2-furanyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-96-7 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(1-ethyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-97-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-99-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-01-7 CAPLUS


CN 2-Pyridinecarboxamide, 4-[[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-02-8 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)

carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-03-9 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-04-0 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-05-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-07-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284462-08-4 CAPLUS

CN Piperazine, 1-(4-acetylphenyl)-4-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284462-09-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)




RN 284462-10-8 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(dimethylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-11-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(phenylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-12-0 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-13-1 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-15-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-16-4 CAPLUS

CN Piperazine, 1-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]-4-(2-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-17-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)



RN 284462-18-6 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-19-7 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)

rbonyl]amino]-3-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-20-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-21-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-24-4 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 284462-25-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-26-6 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-27-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-28-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-29-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-30-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-34-6 CAPLUS

CN Benzamide, 3-[4-[[[3-methoxy-2-naphthalenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-35-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-36-8 CAPLUS

CN Benzamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)]




RN 284462-70-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284670-98-0 CAPLUS

CN 2-Pyridinecarboxamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)




RN 447457-08-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI) (CA INDEX NAME)




RN 573673-43-5 CAPLUS

CN 2-Pyridinecarboxylic acid, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI) (CA INDEX NAME)




RN 604813-02-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 604813-04-9 CAPLUS

CN 3-Pyridinecarboxamide, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 620962-97-2 CAPLUS

CN Urea, N-[4-[3-[(6-methoxy-3-pyridinyl)acetyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 620962-98-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 620962-99-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 620963-00-0 CAPLUS


CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 573673-47-9P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[3-(5-carboxypyridyl)oxy]phenyl]urea
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (reactant; prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors for treating raf-mediated diseases such as cancerous cell growth)

RN 573673-47-9 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



L122 ANSWER 8 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:757329 CAPLUS
DOCUMENT NUMBER: 139:276918
TITLE: Preparation of omega-carboxyaryl substituted diphenyl
ureas as raf kinase inhibitors
INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger,
Timothy B.; Scott, William J.; Smith, Roger A.; Wood,
Jill E.; Monahan, Mary-katherine; Natero, Reina;
Renick, Joel; Sibley, Robert N.
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 61 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003181442	A1	20030925	US 2001-993647	20011127
PRIORITY APPLN. INFO.:			US 2001-993647	20011127
OTHER SOURCE(S): MARPAT 139:276918				

ED Entered STN: 26 Sep 2003


AB Aryl ureas of formula A-NHCONH-B [A = a substituted moiety of up to 40 carbon atoms of the formula: -L-(M-L1)q (where L = a 5 or 6 membered cyclic structure bound directly to D, L1 comprises a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of from 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur); B = a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D contg. 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepd. These urea derivs. are useful for treating raf mediated diseases, in particular cancerous cell growth mediated by raf kinase. Thus, N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. Thus, a soln. of 4-bromo-3-(trifluoromethyl)phenyl isocyanate (8.0 g, 30.1 mmol) in CH2Cl2 (80 mL) was added dropwise to a soln. of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (7.0 g, 28.8 mmol) in CH2Cl2 (40 mL) at 0.degree., stirred at room temp. for 16 h, and filtered to give, after washing the yellow solids, washing with CH2Cl2 (2 .times. 50 mL), and drying under reduced pressure (approx. 1 mmHg) at 40.degree. to give N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. All compds. exemplified showed IC50 between 1 nM to 10 .mu.M against raf kinase.

IT 284461-99-0P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[(3-methylcarbamoylphenyl)carbamoyl]phenyl]urea 284670-98-0P, N,N'-Bis[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(intermediate; prepn. of omega-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors and anticancer agents)


RN 284461-99-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-methyl- (9CI) (CA INDEX NAME)



RN 284670-98-0 CAPLUS

CN 2-Pyridinecarboxamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)]




IT 284461-86-5P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[[2-(methoxycarbonyl)-5-pyridyl]oxy]phenyl]urea 284462-06-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-[N-(2-triisopropylsilyloxyethyl)carbonyl]-4-pyridyloxy]phenyl]urea 284462-71-1P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(5-carboxy-3-pyridyloxy)phenyl]urea 284462-76-6P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(5-methoxycarbonyl-3-pyridyloxy)phenyl]urea 284671-00-7P, N-[5-(Trifluoromethyl)-2-methoxyphenyl]-N'-[4-[3-(5-methoxycarbonylpyridyl)oxy]phenyl]urea 573673-59-3P, N-[5-(Trifluoromethyl)-2-methoxyphenyl]-N'-[4-(5-methoxycarbonyl-3-pyridyloxy)phenyl]urea 604813-15-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[3-(5-methoxycarbonylpyridyl)oxy]phenyl]urea

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; prepn. of omega-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors and anticancer agents)

RN 284461-86-5 CAPLUS


CN 2-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI) (CA INDEX NAME)



RN 284462-06-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 1-B

Cl


RN 284462-71-1 CAPLUS
 CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



RN 284462-76-6 CAPLUS
 CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI) (CA INDEX NAME)




RN 284671-00-7 CAPLUS
 CN 3-Pyridinecarboxylic acid, 6-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI) (CA INDEX NAME)




RN 573673-59-3 CAPLUS

CN 3-Pyridinecarboxylic acid, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



RN 604813-15-2 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



IT 139691-76-2, Raf Kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of omega-carboxyaryl substituted di-Ph ureas as raf kinase
inhibitors and anticancer agents)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT 228418-48-2P 284461-33-2P, N-(3-tert-Butylphenyl)-N'-[4-[3-(methylcarbamoyl)phenoxy]phenyl]urea 284461-34-3P, N-(3-tert-Butylphenyl)-N'-[4-(4-acetylphenoxy)phenyl]urea 284461-35-4P 284461-36-5P, N-(5-tert-Butyl-2-methoxyphenyl)-N'-[4-[3-(methylcarbamoyl)phenoxy]phenyl]urea 284461-37-6P 284461-40-1P 284461-41-2P 284461-42-3P 284461-43-4P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl]urea 284461-44-5P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[4-[[2-(methylcarbamoyl)-4-pyridyl]oxy]phenyl]urea 284461-45-6P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[4-[(2-carbamoyl-4-pyridyl)oxy]phenyl]urea 284461-46-7P 284461-47-8P 284461-48-9P 284461-49-0P, N-(2-Methoxy-5-

trifluoromethylphenyl)-N'-[3-[(2-carbamoyl-4-pyridyl)oxy]-4-methylphenyl]urea 284461-50-3P 284461-51-4P
284461-52-5P 284461-53-6P 284461-55-8P
284461-57-0P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]urea 284461-58-1P
284461-60-5P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[3-[[2-(methylcarbamoyl)-4-pyridyl]thio]phenyl]urea 284461-61-6P
284461-62-7P 284461-63-8P 284461-64-9P
284461-65-0P 284461-66-1P 284461-67-2P
284461-68-3P 284461-69-4P 284461-70-7P
284461-71-8P 284461-72-9P 284461-73-0P
284461-74-1P, N-(4-Chloro-3-trifluoromethylphenyl)-N'-[4-[(2-carbamoyl-4-pyridyl)oxy]phenyl]urea 284461-75-2P,
N-(4-Chloro-3-trifluoromethylphenyl)-N'-[3-[(2-carbamoyl-4-pyridyl)oxy]phenyl]urea 284461-76-3P, N-(4-Chloro-3-trifluoromethylphenyl)-N'-[3-[(2-methylcarbamoyl-4-pyridyl)oxy]phenyl]urea
284461-78-5P 284461-79-6P 284461-80-9P
284461-81-0P 284461-82-1P 284461-83-2P
284461-84-3P 284461-85-4P 284461-88-7P
284461-89-8P 284461-90-1P 284461-91-2P
284461-92-3P 284461-93-4P 284461-94-5P
284461-95-6P 284461-96-7P 284461-97-8P
284462-01-7P 284462-02-8P 284462-03-9P
284462-04-0P 284462-05-1P 284462-07-3P
284462-08-4P 284462-09-5P 284462-10-8P
284462-11-9P 284462-12-0P 284462-13-1P
284462-15-3P 284462-16-4P 284462-17-5P
284462-18-6P 284462-19-7P 284462-20-0P
284462-21-1P 284462-22-2P 284462-23-3P
284462-24-4P 284462-25-5P 284462-26-6P
284462-27-7P 284462-28-8P 284462-29-9P
284462-30-2P 284462-31-3P 284462-32-4P
284462-34-6P 284462-35-7P, N-[2-(2,5-Dimethyl-1-pyrrolyl)-5-tert-butylphenyl]-N'-[4-[(2-methylcarbamoyl-4-pyridyl)oxy]phenyl]urea 284462-36-8P 284462-70-0P,
N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[N-[3-[N-(3-pyridyl)carbamoyl]phenyl]carbamoyl]phenyl]urea 447457-08-1P
447457-09-2P 573673-43-5P 604813-02-7P
604813-04-9P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[3-[5-[[2-(dimethylamino)ethyl]carbamoyl]pyridyl]oxy]phenyl]urea
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of omega-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors and anticancer agents)


RN 228418-48-2 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-33-2 CAPLUS


CN Benzamide, 3-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-34-3 CAPLUS
CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[3-(1,1-dimethylethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-35-4 CAPLUS
CN Benzamide, 5-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-36-5 CAPLUS
CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-37-6 CAPLUS
CN Benzamide, 5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-40-1 CAPLUS

CN Urea, N-[6-(4-acetylphenoxy)-3-pyridinyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-41-2 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-44-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-45-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-46-7 CAPLUS

CN Benzamide, 2-methoxy-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-47-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-48-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-50-3 CAPLUS


CN 2-Pyridinecarboxamide, N-ethyl-4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-51-4 CAPLUS
CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-52-5 CAPLUS
CN Urea, N-[2-methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-53-6 CAPLUS
CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-55-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-57-0 CAPLUS

CN Urea, N-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-58-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-60-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-61-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-62-7 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-63-8 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-64-9 CAPLUS

CN 3-Pyridinecarboxamide, N-[2-(dimethylamino)ethyl]-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-65-0 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284461-66-1 CAPLUS

CN Piperazine, 1-(4-fluorophenyl)-4-[3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284461-67-2 CAPLUS

CN Benzamide, N-(4-fluorophenyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-68-3 CAPLUS

CN Benzamide, N-[4-(dimethylamino)phenyl]-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-69-4 CAPLUS

CN Benzamide, N-(6-methoxy-3-pyridinyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-70-7 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-71-8 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-[4-(2-pyridinyl)-1-piperazinyl]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-72-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-78-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-79-6 CAPLUS

CN Benzenesulfonamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-80-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-82-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284461-83-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-84-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-85-4 CAPLUS

CN Benzenesulfonamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-88-7 CAPLUS

CN 2-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-89-8 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-90-1 CAPLUS

CN 1,3-Benzenedicarboxamide, N-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N'-methyl- (9CI) (CA INDEX NAME)




RN 284461-91-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-92-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-93-4 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-94-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(1-piperidinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-95-6 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(tetrahydro-2-furanyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-96-7 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(1-ethyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-97-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-01-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-02-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-03-9 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-04-0 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-05-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-07-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284462-08-4 CAPLUS

CN Piperazine, 1-(4-acetylphenyl)-4-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)



RN 284462-09-5 CAPLUS


CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)



RN 284462-10-8 CAPLUS


CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)

o]phenoxy]-N-[4-(dimethylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-11-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(phenylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-12-0 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-13-1 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-15-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-16-4 CAPLUS

CN Piperazine, 1-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]-4-(2-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-17-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-18-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-19-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-20-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-21-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-24-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284462-25-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenylthio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-26-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenylthio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-27-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-28-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-29-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-30-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-32-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-34-6 CAPLUS

CN Benzamide, 3-[4-[[[3-methoxy-2-naphthalenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-35-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-36-8 CAPLUS

CN Benzamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI)
(CA INDEX NAME)




RN 284462-70-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 447457-08-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI)
(CA INDEX NAME)




RN 447457-09-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 573673-43-5 CAPLUS

CN 2-Pyridinecarboxylic acid, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)




RN 604813-02-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 604813-04-9 CAPLUS

CN 3-Pyridinecarboxamide, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)



L122 ANSWER 9 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:590832 CAPLUS

Searched by Barb O'Bryen, STIC 571-272-2518

DOCUMENT NUMBER: 139:149528
TITLE: Preparation of diphenylureas as RAF kinase inhibitors
INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 62 pp., Cont. of U. S. Ser. No. 42,203
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003144278	A1	20030731	US 2002-283248	20021030
PRIORITY APPLN. INFO.:			US 2001-367380P P	20010112
			US 2002-42203 A1	20020111

OTHER SOURCE(S): MARPAT 139:149528

ED Entered STN: 01 Aug 2003

AB ADB [I; D = NHCONH; A = L(ML1)q; L = 5-6 membered cyclic structure bound directly to D; L1 = substituted cyclic moiety having .gtoreq.5 members, M = bridging group having .gtoreq.1 atom; q = 1-3; L, L1 contain 0-4 N, O, S; B = (substituted) up to tricyclic aryl, heteroaryl of .ltoreq.30 C atoms with .gtoreq.1 6-membered cyclic structure bound directly to D contg. 0-4 N, O, S], were prep'd. Thus, 4-chloro-3-(trifluoromethyl)phenyl isocyanate in CH2Cl2 was added dropwise to a suspension of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (prepn. given) in CH2Cl2 at 0.degree.; the resulting mixt. was stirred at room temp. for 22 h. to afford N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. I inhibited RAF kinase in the range 1 nM-1 .mu.M. I pharmaceutical compns. are claimed.

IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(inhibitors; prepn. of diphenylureas as RAF kinase inhibitors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT 284418-48-2P 284461-33-2P, N-(3-tert-Butylphenyl)-N'-[4-[3-(N-methylcarbamoyl)phenoxy]phenyl]urea 284461-34-3P, N-(3-tert-Butylphenyl)-N'-[4-(4-acetylphenoxy)phenyl]urea 284461-35-4P 284461-36-5P, N-(5-tert-Butyl-2-methoxyphenyl)-N'-[4-[3-(N-methylcarbamoyl)phenoxy]phenyl]urea 284461-37-6P, N-(5-tert-Butyl-2-methoxyphenyl)-N'-[4-[4-methoxy-3-(N-methylcarbamoyl)phenoxy]phenyl]urea 284461-40-1P 284461-41-2P 284461-42-3P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284461-43-4P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl]urea 284461-44-5P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284461-45-6P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[4-(2-carbamoyl-4-pyridyloxy)phenyl]urea 284461-46-7P 284461-47-8P 284461-48-9P 284461-49-0P 284461-50-3P 284461-51-4P 284461-52-5P 284461-53-6P 284461-55-8P 284461-57-0P 284461-58-1P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridylthio]phenyl]urea 284461-60-5P 284461-61-6P 284461-62-7P 284461-63-8P 284461-64-9P

284461-65-0P 284461-66-1P 284461-67-2P
284461-68-3P 284461-69-4P 284461-70-7P
284461-71-8P 284461-72-9P 284461-73-0P,
N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284461-74-1P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-(2-carbamoyl-4-pyridyloxy)phenyl]urea 284461-75-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl] urea 284461-76-3P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284461-78-5P 284461-80-9P
284461-81-0P 284461-82-1P 284461-83-2P
284461-84-3P 284461-85-4P 284461-88-7P
284461-89-8P 284461-90-1P 284461-91-2P
284461-92-3P 284461-93-4P 284461-94-5P
284461-95-6P 284461-96-7P 284461-97-8P
284461-98-9P 284461-99-0P 284462-01-7P
284462-02-8P 284462-03-9P 284462-04-0P
284462-05-1P 284462-07-3P 284462-08-4P
284462-09-5P 284462-10-8P 284462-11-9P
284462-12-0P 284462-13-1P 284462-15-3P
284462-16-4P 284462-17-5P 284462-18-6P,
N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284462-19-7P, N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[2-chloro-4-[2-(N-methylcarbamoyl)(4-pyridyloxy)]phenyl]urea 284462-20-0P, N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[3-chloro-4-[2-(N-methylcarbamoyl)(4-pyridyloxy)]phenyl]urea 284462-21-1P 284462-22-2P,
N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284462-23-3P 284462-24-4P
284462-25-5P 284462-26-6P 284462-27-7P
284462-28-8P, N-[2-Methoxy-4-chloro-5-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl] urea 284462-29-9P
284462-30-2P 284462-31-3P, N-[2-Methoxy-4-chloro-5-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl] urea 284462-32-4P 284462-34-6P 284462-35-7P
284462-70-0P 284670-98-0P 447457-08-1P
447457-09-2P 474642-55-2P 573673-42-4P
573673-43-5P 573673-45-7P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of diphenylureas as RAF kinase inhibitors)

RN 228418-48-2 CAPLUS
CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-33-2 CAPLUS
CN Benzamide, 3-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-34-3 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-(3-(1,1-dimethylethyl)phenyl)-
(9CI) (CA INDEX NAME)




RN 284461-35-4 CAPLUS

CN Benzamide, 5-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-36-5 CAPLUS

CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-37-6 CAPLUS

CN Benzamide, 5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-40-1 CAPLUS

CN Urea, N-[6-(4-acetylphenoxy)-3-pyridinyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-41-2 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-44-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-45-6 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-46-7 CAPLUS
CN Benzamide, 2-methoxy-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-47-8 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-48-9 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-49-0 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-50-3 CAPLUS
CN 2-Pyridinecarboxamide, N-ethyl-4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-51-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-52-5 CAPLUS

CN Urea, N-[2-methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-53-6 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-55-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-57-0 CAPLUS

CN Urea, N-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-58-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-60-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-61-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-62-7 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-63-8 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-64-9 CAPLUS

CN 3-Pyridinecarboxamide, N-[2-(dimethylamino)ethyl]-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-65-0 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284461-66-1 CAPLUS

CN Piperazine, 1-(4-fluorophenyl)-4-[3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284461-67-2 CAPLUS

CN Benzamide, N-(4-fluorophenyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-68-3 CAPLUS

CN Benzamide, N-[4-(dimethylamino)phenyl]-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-69-4 CAPLUS

CN Benzamide, N-(6-methoxy-3-pyridinyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-70-7 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-71-8 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-[4-(2-pyridinyl)-1-piperazinyl]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-72-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-78-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-80-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS


CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-82-1 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284461-83-2 CAPLUS
CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-84-3 CAPLUS
CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-85-4 CAPLUS
CN Benzenesulfonamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-88-7 CAPLUS

CN 2-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-89-8 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-90-1 CAPLUS

CN 1,3-Benzenedicarboxamide, N-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N'-methyl- (9CI) (CA INDEX NAME)




RN 284461-91-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-92-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(1-methoxyimino)ethyl]phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-93-4 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-94-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N-[2-(1-piperidiny)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-95-6 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N-[(tetrahydro-2-furanyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-96-7 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-(1-ethyl-2-pyrrolidinyl)methyl]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-97-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-98-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-99-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-01-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-02-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-03-9 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-04-0 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-05-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-07-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284462-08-4 CAPLUS

CN Piperazine, 1-(4-acetylphenyl)-4-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284462-09-5 CAPLUS

CN Benzamide, 3-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)




RN 284462-10-8 CAPLUS

CN Benzamide, 3-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(dimethylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-11-9 CAPLUS


CN Benzamide, 3-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(phenylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-12-0 CAPLUS
 CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-13-1 CAPLUS
 CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-15-3 CAPLUS
 CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-16-4 CAPLUS
 CN Piperazine, 1-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]-4-(2-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-17-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)



RN 284462-18-6 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-19-7 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-20-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-21-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS


CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-24-4 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284462-25-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-26-6 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-27-7 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-28-8 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-29-9 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-30-2 CAPLUS
CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-32-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-34-6 CAPLUS

CN Benzamide, 3-[4-[[[(3-methoxy-2-naphthalenyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-35-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-70-0 CAPLUS

CN Benzamide, 3-[[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284670-98-0 CAPLUS

CN 2-Pyridinecarboxamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)




RN 447457-08-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI) (CA INDEX NAME)




RN 447457-09-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 474642-55-2 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)




RN 573673-42-4 CAPLUS

CN Benzenesulfonamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 573673-43-5 CAPLUS

CN 2-Pyridinecarboxylic acid, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



RN 573673-45-7 CAPLUS

CN Urea, N,N'-bis[4-(4-acetylphenoxy)phenyl]- (9CI) (CA INDEX NAME)




IT 284461-86-5 284462-06-2 284462-71-1

284462-76-6 573673-53-7 573673-59-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of diphenylureas as RAF kinase inhibitors)

RN 284461-86-5 CAPLUS


CN 2-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



RN 284462-06-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI)
(CA INDEX NAME)

PAGE 1-A




PAGE 1-B

Cl


RN 284462-71-1 CAPLUS

CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284462-76-6 CAPLUS

CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)




RN 573673-53-7 CAPLUS


CN 3-Pyridinecarboxylic acid, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



RN 573673-59-3 CAPLUS
CN 3-Pyridinecarboxylic acid, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)



IT 573673-47-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of diphenylureas as RAF kinase inhibitors)
RN 573673-47-9 CAPLUS
CN 3-Pyridinecarboxylic acid, 6-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



L122 ANSWER 10 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:736198 CAPLUS.
DOCUMENT NUMBER: 139:301125
TITLE: BAY-43-9006 (Bayer/Onyx)
AUTHOR(S): Lee, John T.; McCubrey, James A.
CORPORATE SOURCE: Department of Microbiology and Immunology, Brody School of Medicine at East Carolina University, Greenville, NC, 27858-4353, USA
SOURCE: Current Opinion in Investigational Drugs (Thomson Current Drugs) 2003, 4(6), 757-763
CODEN: COIDAZ; ISSN: 1472-4472
PUBLISHER: Thomson Current Drugs
DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

ED Entered STN: 19 Sep 2003


AB A review. Bayer and Onyx are developing BAY-43-9006, an oral cytostatic Raf kinase inhibitor for the potential treatment of colorectal and breast cancers, hepatocellular carcinoma and non-small-cell lung cancer, in addn. to acute myelogenous leukemia, myelodysplastic syndrome and other cancers. A US IND was filed in May 2000 and by Feb. 2003 BAY-43-9006 was in phase II trials, with phase III trials expected to begin later in 2003.

IT 284461-73-0, BAY 43-9006

RL: ADV (Adverse effect, including toxicity); DMA (Drug mechanism of action); PAC (Pharmacological activity); PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(BAY 43-9006 for treatment of cancer patients)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(inhibitor; BAY 43-9006 for treatment of cancer patients)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 11 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2004:12708 CAPLUS

DOCUMENT NUMBER: 140:70551

TITLE: A Phase I clinical and pharmacokinetic study of the Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with doxorubicin in patients with solid tumors

AUTHOR(S): Richly, H.; Kupsch, P.; Passage, K.; Grubert, M.; Hilger, R. A.; Kredtke, S.; Voliotis, D.; Scheulen, M. E.; Seeber, S.; Strumberg, D.

CORPORATE SOURCE: West German Cancer Center, University of Essen, Essen, Germany

SOURCE: International Journal of Clinical Pharmacology and Therapeutics (2003), 41(12), 620-621
CODEN: IJCTHEK; ISSN: 0946-1965

PUBLISHER: Dustri-Verlag Dr. Karl Feistle

DOCUMENT TYPE: Journal

LANGUAGE: English

ED Entered STN: 08 Jan 2004

AB Objective: The primary objective of this phase I study was to define the safety profile of BAY 43-9006 administered in combination with doxorubicin. Patients and methods: Twenty-nine patients with advanced,


refractory solid tumors were treated with doxorubicin (60mg/m²) every 3 wk for 6 consecutive cycles. BAY 43-9006 in combination with doxorubicin chemotherapy was administered at 3 dose levels. Results: Toxicity and response were evaluable in a total of 24 out of 29 enrolled patients. Dose-limiting toxicity was obsd. at various dose levels. Doxorubicin plasma C_{max}/AUC values increased on escalating the dose of BAY 43-9006. Patients with liver metastases and elevated values of AST and conjugated bilirubin, compared to patients with normal hepatic function, showed a higher AUC for doxorubicin at all dose levels. Conclusions: Our data suggest a pharmacol. interaction of BAY 43-9006 at DL 400 mg bid with doxorubicin resulting in significantly increased AUC for doxorubicin.

IT 284461-73-0, BAY 43-9006

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (clin. and pharmacokinetic study of Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with doxorubicin in patients with solid tumors)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study) (inhibitor; clin. and pharmacokinetic study of Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with doxorubicin in patients with solid tumors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 12 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2004:12707 CAPLUS

DOCUMENT NUMBER: 146-70550

TITLE: Drug-drug interaction pharmacokinetic study with the Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with irinotecan (OPT-11) in patients with solid tumors

AUTHOR(S): Mross, K.; Steinbild, S.; Baas, F.; Reil, M.; Buss, P.; Mersmann, S.; Voliotis, D.; Schwartz, B.; Brendel, E.

CORPORATE SOURCE: Tumor Biology Center at the Albert-Ludwigs-University Freiburg, Leverkusen, Germany

SOURCE: International Journal of Clinical Pharmacology and Therapeutics (2003), 41(12), 618-619

CODEN: ICTHEK; ISSN: 0946-1965

PUBLISHER: Dusterl-Vergag Dr. Karl Feistle

DOCUMENT TYPE: Journal

LANGUAGE: English

ED Entered STN: 08 Jan 2004

AB Classical cytotoxic anticancer drugs generally have specific actions but also interfere with signalling pathways. A logical approach is therefore to combine the Raf kinase inhibitor (RKI) with classical cytotoxic agents since recent work has shown that the RKI BAY 43-9006 and CPT-11 have additive or synergistic actions. Objective: Because a pharmacol. drug-drug interaction cannot be ruled out, interaction studies were started using the RKI BAY 43-9006 in combination with the most important anticancer drugs, such as CPT-11. Patients and methods: The study protocol included three groups of 6 patients with solid tumors given different RKI doses and the same dosage of CPT-11. Blood samples for measurement of CPT-11 and SN-38 were obtained both during and in the absence of RKI treatment. Results: Ests. of toxicity, response and pharmacokinetics during the first RKI dose could be made in a total of 9/18 patients. All symptoms of toxicity were considered to be due to CPT-11 or RKI. The PK evaluation showed no significant differences for CPT-11 and SN-38, with or without RKI. Conclusions: The combination CPT-11 and SN-38 PK is not significantly influenced by the addn. of RKI. There is no indication that the PK of RKI are influenced significantly by CPT-11 and SN-38.


IT 284461-73-0, BAY 43-9006

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(drug-drug interaction pharmacokinetic study with Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with irinotecan (CPT-11) in patients with solid tumors)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study) (inhibitor; drug-drug interaction pharmacokinetic study with Raf kinase inhibitor (RKI) BAY 43-9006 administered in combination with irinotecan (CPT-11) in patients with solid tumors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 13 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:476541 CAPLUS

DOCUMENT NUMBER: 139:143192

TITLE: Activity of the Raf kinase inhibitor BAY 43-9006 in patients with advanced solid tumors

AUTHOR(S): DeGrendele, Heather

CORPORATE SOURCE: USA
SOURCE: Clinical Colorectal Cancer (2003), 3(1), 16-18
CODEN: CCCLCF; ISSN: 1533-0028
PUBLISHER: Cancer Information Group
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English

ED Entered STN: 23 Jun 2003


AB A review. BAY 43-9006 is the first orally active Raf kinase inhibitor to undergo clin. testing and has shown promise in the treatment of colorectal cancer. Treatment with BAY 43-9006 has resulted in stable disease in 37 % of patients across this phase I series, with 42 % of colorectal cancer patients achieving stable disease. Among patients achieving stable disease, 27 have been on therapy for over 6 mo without progression. Toxicity assocd. with this regimen is mild, with few grade 3/4 adverse events reported. Furthermore, fluorescence-activated cell sorter (FACS) anal. demonstrated that treatment with BAY 43-9006 could result in the inhibition of extracellular signal-regulated kinase (ERK) activation. Based on this phase I data, 2 phase II trials, including one in patients with colorectal cancer, have been initiated, and phase III trials are planned for 2003. At the 38th Annual Meeting of the American Society of Clin. Oncol., Vincent and colleagues reported on preclin. studies combining BAY 43-9006 with irinotecan, vinorelbine, or gemcitabine in human xenografts models. They demonstrated that BAY 43-9006 combined with cytotoxic or cytostatic agents is at least as efficacious as the individual agents administered alone. With this as rationale, multiple phase I/II studies are being designed to investigate the role of BAY 43-9006 in combination with std. chemotherapy.

IT 284461-73-0, BAY 43-9006

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(activity of Raf kinase inhibitor BAY 43-9006 in patients with advanced solid tumors)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(inhibitor; activity of Raf kinase inhibitor BAY 43-9006 in patients with advanced solid tumors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 14 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:832761 CAPLUS


DOCUMENT NUMBER: 137:337791
TITLE: Preparation of quinolyl, isoquinolyl or pyridyl-ureas
as inhibitors of raf kinase
INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Sibley,
Robert N.; Hatoum-Mokdad, Holia; Monahan,
Mary-Katherine; Gunn, David E.; Lowinger, Timothy B.;
Scott, William J.; Smith, Roger A.; Wood, Jill E.
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002085857	A2	20021031	WO 2002-US12066	20020418
WO 2002085857	A3	20030116		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1379505	A2	20040114	EP 2002-725710	20020418
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
PRIORITY APPLN. INFO.:			US 2001-838285 A	20010420
			WO 2002-US12066 W	20020418
OTHER SOURCE(S):	MARPAT 137:337791			
ED	Entered STN: 01 Nov 2002			
AB	Title compds. A-D-B (I) [D = NHCONH; A = (un)substituted t-butylpyridyl, etc.; B = (un)substituted bridged cyclic structure, etc.] and analogs were prep'd. For instance, 4-tert-butyl-2-aminopyridine was coupled to 4-(4-pyridylmethyl)aniline (CH ₂ Cl ₂ , CDI, 0.degree.) to give N-(4-tert-butylpyridyl)-N'-[4-(4-pyridinylmethyl)phenyl]urea as a white solid. Example compds. had IC ₅₀ between 10nM and 10.mu.M for raf kinase. I are useful for the treatment of cancerous cell growth mediated by raf kinase.			
IT	139691-76-2, Raf kinase			
	RL: BSU (Biological study, unclassified); BIOL (Biological study) (prepn. of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase)			
RN	139691-76-2 CAPLUS			
CN	Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)			
***	STRUCTURE DIAGRAM IS NOT AVAILABLE ***			
IT	432050-22-1P			
	RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase)			
RN	432050-22-1 CAPLUS			
CN	2-Pyridinecarboxamide, 4-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)			



L122 ANSWER 15 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2002:615574 CAPLUS
 DOCUMENT NUMBER: 137:169425
 TITLE: Preparation of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors
 INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Sibley, Robert N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.
 PATENT ASSIGNEE(S): Bayer Corporation, USA
 SOURCE: PCT Int. Appl., 125 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 5
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002062763	A2	20020815	WO 2002-US3361	20020207
WO 2002062763	A3	20021010		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2002165394	A1	20021107	US 2001-777920	20010207
PRIORITY APPLN. INFO.:				
			US 2001-777920	A 20010207
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B2 19991022
			US 2001-758548	A2 20010112
OTHER SOURCE(S): MARPAT 137:169425				
ED Entered STN: 16 Aug 2002				
GI				



II

AB Title compds., e.g., RNHCONHZOR1 [I; R = C6H4(CMe3)-3,

2-methoxy-5-trifluoromethylphenyl, 4-chloro-3-trifluoromethylphenyl, 2-methoxy-3-quinolyl, etc.; R1 = (un)substituted acylphenyl, -acylpyridinyl, etc.; Z = (un)substituted 1,3- or -1,4-phenylene] were prepd. Thus, 4-(H2N)C6H4OC6H4(CONHMe)-4 (prepn. given) was condensed with 3-(Me3C)C6H4NH2 and CO(OCCl3)2 to give title compd. II. Data for biol. activity of title compds. were given.

IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study) (mediated disorders; treatment; prepn. of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT 228418-48-2P 284461-33-2P 284461-34-3P
284461-35-4P 284461-36-5P 284461-37-6P
284461-40-1P 284461-41-2P 284461-42-3P
284461-43-4P 284461-44-5P 284461-45-6P
284461-46-7P 284461-47-8P 284461-48-9P
284461-49-0P 284461-50-3P 284461-51-4P
284461-52-5P 284461-53-6P 284461-55-8P
284461-57-0P 284461-58-1P 284461-60-5P
284461-61-6P 284461-62-7P 284461-63-8P
284461-64-9P 284461-65-0P 284461-66-1P
284461-67-2P 284461-68-3P 284461-69-4P
284461-70-7P 284461-71-8P 284461-72-9P
284461-73-0P 284461-74-1P 284461-75-2P
284461-76-3P 284461-78-5P 284461-79-6P
284461-80-9P 284461-81-0P 284461-82-1P
284461-83-2P 284461-84-3P 284461-85-4P
284461-86-5P 284461-88-7P 284461-89-8P
284461-90-1P 284461-91-2P 284461-92-3P
284461-93-4P 284461-94-5P 284461-95-6P
284461-96-7P 284461-97-8P 284461-98-9P
284461-99-0P 284462-01-7P 284462-02-8P
284462-03-9P 284462-04-0P 284462-05-1P
284462-07-3P 284462-08-4P 284462-09-5P
284462-10-8P 284462-11-9P 284462-12-0P
284462-13-1P 284462-15-3P 284462-16-4P
284462-17-5P 284462-18-6P 284462-19-7P
284462-20-0P 284462-21-1P 284462-22-2P
284462-23-3P 284462-24-4P 284462-25-5P
284462-26-6P 284462-27-7P 284462-28-8P
284462-29-9P 284462-30-2P 284462-31-3P
284462-32-4P 284462-34-6P 284462-35-7P
284462-70-0P 284670-98-0P 432050-22-1P
432050-23-2P 432050-24-3P 432050-25-4P
432050-26-5P 432050-27-6P 432050-28-7P
432050-52-7P 447457-08-1P 447457-09-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors)


RN 228418-48-2 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-33-2 CAPLUS

CN Benzamide, 3-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-34-3 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[3-(1,1-dimethylethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-35-4 CAPLUS

CN Benzamide, 5-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-36-5 CAPLUS

CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-37-6 CAPLUS

CN Benzamide, 5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-40-1 CAPLUS

CN Urea, N-[6-(4-acetylphenoxy)-3-pyridinyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-41-2 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-44-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-45-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-46-7 CAPLUS

CN Benzamide, 2-methoxy-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-47-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-48-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-49-0 CAPLUS


CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-50-3 CAPLUS


CN 2-Pyridinecarboxamide, N-ethyl-4-[4-[[[2-methoxy-5-

(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-51-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-52-5 CAPLUS

CN Urea, N-[2-methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-53-6 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-55-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-57-0 CAPLUS

CN Urea, N-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-58-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-60-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-61-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-62-7 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-63-8 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-64-9 CAPLUS

CN 3-Pyridinecarboxamide, N-[2-(dimethylamino)ethyl]-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-65-0 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)



RN 284461-66-1 CAPLUS


CN Piperazine, 1-(4-fluorophenyl)-4-[3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)



RN 284461-67-2 CAPLUS


CN Benzamide, N-(4-fluorophenyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)

NAME)




RN 284461-68-3 CAPLUS

CN Benzamide, N-[4-(dimethylamino)phenyl]-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-69-4 CAPLUS

CN Benzamide, N-(6-methoxy-3-pyridinyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-70-7 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-71-8 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-[4-(2-pyridinyl)-1-piperazinyl]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-72-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-78-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-79-6 CAPLUS


CN Benzenesulfonamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-80-9 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-82-1 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284461-83-2 CAPLUS
CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-84-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-85-4 CAPLUS

CN Benzenesulfonamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonylamino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-86-5 CAPLUS

CN 2-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonylamino]phenoxy]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-88-7 CAPLUS

CN 2-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonylamino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-89-8 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-90-1 CAPLUS

CN 1,3-Benzenedicarboxamide, N-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N'-methyl- (9CI) (CA INDEX NAME)




RN 284461-91-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-92-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-93-4 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-94-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(1-piperidinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-95-6 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(tetrahydro-2-furanyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-96-7 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(1-ethyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-97-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-98-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-99-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-01-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-02-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-03-9 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-04-0 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-05-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-07-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284462-08-4 CAPLUS

CN Piperazine, 1-(4-acetylphenyl)-4-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284462-09-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)




RN 284462-10-8 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(dimethylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-11-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(phenylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-12-0 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-13-1 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-15-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-16-4 CAPLUS

CN Piperazine, 1-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]-4-(2-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-17-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-18-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-19-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-20-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-21-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-24-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284462-25-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-26-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-27-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-28-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-29-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-30-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-32-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-34-6 CAPLUS

CN Benzamide, 3-[4-[[[3-methoxy-2-naphthalenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-35-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-70-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284670-98-0 CAPLUS

CN 2-Pyridinecarboxamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)]




RN 432050-22-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-3-quinolinyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-23-2 CAPLUS

CN Benzamide, 3-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-24-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 432050-25-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 432050-26-5 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



RN 432050-27-6 CAPLUS


CN Benzamide, 3-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-

(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 432050-28-7 CAPLUS

CN Benzamide, 2-methoxy-5-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-52-7 CAPLUS

CN Benzamide, 3-[4-[[[(3-isoquinolinylamino)carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 447457-08-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI) (CA INDEX NAME)



RN 447457-09-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




IT 284462-71-1

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors)

RN 284462-71-1 CAPLUS

CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




IT 284462-69-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors)

RN 284462-69-7 CAPLUS

CN Benzoic acid, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



L122 ANSWER 16 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:850357 CAPLUS

DOCUMENT NUMBER: 137:352907

TITLE: Preparation of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase for the treatment of tumors and/or cancerous cell growth

INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Robert, Sibley N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S. Pat. Appl. Publ., 63 pp., Cont.-in-part of U.S. Ser. No. 758,548.


DOCUMENT TYPE: CODEN: USXXCO
LANGUAGE: Patent
FAMILY ACC. NUM. COUNT: 5 English
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002165394	A1	20021107	US 2001-777920	20010207
ZA 2001005751	A	20030714	ZA 2001-5751	20010712
US 2002137774	A1	20020926	US 2001-907970	20010719
WO 2002062763	A2	20020815	WO 2002-US3361	20020207
WO 2002062763	A3	20021010		


W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2003139605 A1 20030724 US 2002-71248 20020211
PRIORITY APPLN. INFO.: US 1999-115877P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B2 19991022
US 2001-758548 A2 20010112
US 1999-115878P P 19990113
US 2001-777920 A 20010207
US 2001-948915 A1 20010910

OTHER SOURCE(S): MARPAT 137:352907
ED Entered STN: 08 Nov 2002
GI



II



III

AB Title compds. B-NHCONH-L-(M-L1)_q (I) [B = (un)substituted pyridyl, quinolinyl, isoquinolinyl; L = 5 or 6 membered cyclic structure; L1 = substituted cyclic moiety having at least 5 members; M = bridging group having at least one atom; q = 1-3; with proviso that L and L1 contain 0-4 hetero atoms, e.g., N, O and S] and their pharmaceutically acceptable salts were prepd. For example, coupling of aniline II, e.g., prepd. from Et 3-hydroxybenzoate in 4-steps, with bis(trichloromethyl)carbonate followed by 3-tert-butylaniline afforded urea III. In in vitro raf kinase assays, 112-specific examples of compds. I inhibited kinase activity with IC₅₀ values ranging from 10 nM-10 .mu.M. Compds. I are useful for the

IT treatment of cancerous cell growth mediated by raf kinase.


228418-48-2P 284461-33-2P 284461-34-3P
284461-35-4P 284461-36-5P 284461-37-6P
284461-40-1P 284461-41-2P 284461-42-3P
284461-43-4P 284461-44-5P 284461-45-6P
284461-46-7P 284461-47-8P 284461-48-9P
284461-49-0P 284461-50-3P 284461-51-4P
284461-52-5P 284461-53-6P 284461-55-8P
284461-57-0P 284461-58-1P 284461-60-5P
284461-61-6P 284461-62-7P 284461-63-8P
284461-64-9P 284461-65-0P 284461-66-1P
284461-67-2P 284461-68-3P 284461-69-4P
284461-70-7P 284461-71-8P 284461-72-9P
284461-73-0P 284461-74-1P 284461-75-2P
284461-76-3P 284461-78-5P 284461-79-6P
284461-80-9P 284461-81-0P 284461-82-1P
284461-84-3P 284461-85-4P 284461-86-5P
284461-88-7P 284461-89-8P 284461-90-1P
284461-91-2P 284461-92-3P 284461-93-4P
284461-94-5P 284461-95-6P 284461-96-7P
284461-97-8P 284461-98-9P 284462-01-7P
284462-02-8P 284462-03-9P 284462-04-0P
284462-05-1P 284462-07-3P 284462-08-4P
284462-09-5P 284462-10-8P 284462-11-9P
284462-12-0P 284462-13-1P 284462-15-3P
284462-16-4P 284462-17-5P 284462-18-6P
284462-19-7P 284462-20-0P 284462-21-1P
284462-22-2P 284462-23-3P 284462-24-4P
284462-25-5P 284462-26-6P 284462-27-7P
284462-28-8P 284462-29-9P 284462-30-2P
284462-31-3P 284462-32-4P 284462-34-6P
284462-35-7P 284462-70-0P 284670-98-0P
432050-22-1P 432050-23-2P 432050-24-3P
432050-25-4P 432050-26-5P 432050-27-6P
432050-28-7P 432050-52-7P 447457-08-1P
447457-09-2P 474642-44-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(drug candidate; prepn. of quinolyl, isoquinolyl or pyridyl-ureas as
inhibitors of raf kinase)


RN 228418-48-2 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]ami
no]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-33-2 CAPLUS

CN Benzamide, 3-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]pheno
xy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-34-3 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-(3-(1,1-dimethylethyl)phenyl)-
(9CI) (CA INDEX NAME)




RN 284461-35-4 CAPLUS

CN Benzamide, 5-[4-[[[3-(1,1-dimethylethyl)phenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-36-5 CAPLUS

CN Benzamide, 3-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-37-6 CAPLUS

CN Benzamide, 5-[4-[[[5-(1,1-dimethylethyl)-2-methoxyphenyl]amino]carbonyl]amino]phenoxy]-2-methoxy-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-40-1 CAPLUS

CN Urea, N-[6-(4-acetylphenoxy)-3-pyridinyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-41-2 CAPLUS

CN Urea, N-[4-(4-acetylphenoxy)phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-44-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-45-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-46-7 CAPLUS

CN Benzamide, 2-methoxy-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-47-8 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-48-9 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-49-0 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-50-3 CAPLUS
CN 2-Pyridinecarboxamide, N-ethyl-4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-51-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-52-5 CAPLUS

CN Urea, N-[2-methoxy-5-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-53-6 CAPLUS


CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-55-8 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-57-0 CAPLUS
CN Urea, N-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]-N'-[2-methoxy-5-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 284461-58-1 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-60-5 CAPLUS
CN 2-Pyridinecarboxamide, 4-[4-[[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-61-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284461-62-7 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-63-8 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-64-9 CAPLUS

CN 3-Pyridinecarboxamide, N-[2-(dimethylamino)ethyl]-5-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-65-0 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284461-66-1 CAPLUS

CN Piperazine, 1-(4-fluorophenyl)-4-[3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284461-67-2 CAPLUS

CN Benzamide, N-(4-fluorophenyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-68-3 CAPLUS

CN Benzamide, N-[4-(dimethylamino)phenyl]-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-69-4 CAPLUS

CN Benzamide, N-(6-methoxy-3-pyridinyl)-3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-70-7 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284461-71-8 CAPLUS

CN Benzamide, 3-[4-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-[4-(2-pyridinyl)-1-piperazinyl]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-72-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-74-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-78-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-79-6 CAPLUS

CN Benzenesulfonamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-80-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-82-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284461-84-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-85-4 CAPLUS

CN Benzenesulfonamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-86-5 CAPLUS

CN 2-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-, methyl ester (9CI)
(CA INDEX NAME)




RN 284461-88-7 CAPLUS

CN 2-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-89-8 CAPLUS

CN Benzoic acid, 3-[[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 284461-90-1 CAPLUS

CN 1,3-Benzenedicarboxamide, N-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-N'-methyl- (9CI) (CA INDEX NAME)




RN 284461-91-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284461-92-3 CAPLUS

CN Urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[4-[1-(methoxyimino)ethyl]phenoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 284461-93-4 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-94-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(1-piperidinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284461-95-6 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(tetrahydro-2-furanyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-96-7 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[(1-ethyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)




RN 284461-97-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-98-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 284462-01-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-02-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-03-9 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-04-0 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-05-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(dimethylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-07-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284462-08-4 CAPLUS

CN Piperazine, 1-(4-acetylphenyl)-4-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]- (9CI) (CA INDEX NAME)




RN 284462-09-5 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(4-fluorophenyl)- (9CI) (CA INDEX NAME)




RN 284462-10-8 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(dimethylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-11-9 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(phenylamino)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-12-0 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-13-1 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-15-3 CAPLUS

CN Benzamide, 3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 284462-16-4 CAPLUS

CN Piperazine, 1-[3-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]benzoyl]-4-(2-pyridinyl)- (9CI) (CA INDEX NAME)




RN 284462-17-5 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)




RN 284462-18-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-19-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-3-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-20-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-chlorophenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-21-1 CAPLUS


CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-24-4 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 284462-25-5 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenylthio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-26-6 CAPLUS

CN 2-Pyridinecarboxamide, 4-[[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]thio]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-27-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-(4-morpholinyl)ethyl]- (9CI) (CA INDEX NAME)




RN 284462-28-8 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-29-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-30-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-32-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




RN 284462-34-6 CAPLUS

CN Benzamide, 3-[4-[[[3-methoxy-2-naphthalenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-35-7 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[5-(1,1-dimethylethyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-70-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 284670-98-0 CAPLUS

CN 2-Pyridinecarboxamide, 4,4'-[carbonylbis(imino-4,1-phenyleneoxy)]bis[N-methyl- (9CI) (CA INDEX NAME)




RN 432050-22-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[2-methoxy-3-quinolinyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-23-2 CAPLUS

CN Benzamide, 3-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-24-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 432050-25-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 432050-26-5 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



RN 432050-27-6 CAPLUS


CN Benzamide, 3-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-

(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 432050-28-7 CAPLUS

CN Benzamide, 2-methoxy-5-[4-[[[(2-methoxy-3-quinolinyl)amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 432050-52-7 CAPLUS

CN Benzamide, 3-[4-[[[(3-isoquinolinylamino)carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 447457-08-1 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-[2-[[tris(1-methylethyl)silyl]oxy]ethyl]- (9CI) (CA INDEX NAME)




RN 447457-09-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 474642-44-9 CAPLUS

CN 2-Pyridinecarboxamide, 4-[2-chloro-4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-ethyl- (9CI) (CA INDEX NAME)




IT 284461-99-0P 284462-71-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; prepn. of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase)


RN 284461-99-0 CAPLUS

CN Benzamide, 3-[[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]benzoyl]amino]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-71-1 CAPLUS

CN 3-Pyridinecarboxylic acid, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(prepn. of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors
of raf kinase)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)


*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 474642-55-2

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf
kinase)

RN 474642-55-2 CAPLUS

CN 3-Pyridinecarboxamide, 5-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-(2-hydroxyethyl)- (9CI) (CA INDEX NAME)



L122 ANSWER 17 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:785445 CAPLUS

DOCUMENT NUMBER: 138:296904

TITLE: BAY 43-9006: Preclinical data

AUTHOR(S): Wilhelm, Scott; Chien, Du-Shieng

CORPORATE SOURCE: ~~Bayer Research Center~~, Institute for Preclinical Drug
Development, Pharmaceutical Division, Bayer
Corporation, West Haven, CT, 06516, USA

SOURCE: Current Pharmaceutical Design (2002), 8(25), 2255-2257
CODEN: CPDEFP; ISSN: 1381-6128

PUBLISHER: Bentham Science Publishers

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

ED Entered STN: 15 Oct 2002


AB A review. The drug design and discovery efforts described in the previous section led to the development of a novel, small mol. Raf-1 kinase inhibitor, BAY 43-9006, which belongs to a class that can be broadly described as bis-aryl ureas. BAY 43-9006 was identified during a large medicinal chem. optimization program, and this compd. was selected for further pharmacol. characterization based on its potent inhibition of Raf-1 (IC50 12 nM) and its favorable kinase selectivity profile [2, 3]. In vitro and in vivo expts. were designed to demonstrate effective blockade of the Raf/MEK/ERK signaling pathway in tumor cells and for antitumor efficacy in human xenograft models.

IT 284461-73-0, BAY 43-9006

RL: PAC (Pharmacological activity); PKT (Pharmacokinetics); THU
(Therapeutic use); BIOL (Biological study); USES (Uses)
(antitumor BAY 43-9006)

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
arbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



IT 139691-76-2, Raf-1 kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(inhibitors; antitumor BAY 43-9006)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 18 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:785444 CAPLUS

DOCUMENT NUMBER: 137:362317

TITLE: BAY 43-9006: Early clinical data in patients with
advanced solid malignancies

AUTHOR(S): Hotte, Sebastien J.; Hirte, Hal W.

CORPORATE SOURCE: Department of Medicine, Hamilton Regional Cancer
Centre, McMaster University and Division of Medical
Oncology, Hamilton, ON, Can.

SOURCE: Current Pharmaceutical Design (2002), 8(25), 2249-2253
CODEN: CPDEFP; ISSN: 1381-6128

PUBLISHER: Bentham Science Publishers

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

ED Entered STN: 15 Oct 2002

AB A review. Various signaling pathways can confer the malignant phenotype to a cell. Ras signaling proteins have been found to play an important role in controlling cellular growth. Raf-1 is a protein kinase that exerts its effects downstream of Ras in the mitogen-activated protein kinase pathway and is thus likely to be crucial in the development of the malignant phenotype. BAY 43-9006 is an orally administered selective inhibitor of Raf-1 and the first compd. of its class to enter clin. trials. This article describes the early clin. data of BAY 43-9006 in patients with advanced, refractory solid tumors. To date, over 60 patients have been treated as part of four Phase I clin. trials. Dose levels have ranged from 50mg once weekly to 200mg twice-daily in continuous administration. The drug has been generally well tolerated with no dose limiting toxicity yet encountered. The more common toxicities have involved the gastrointestinal tract (diarrhea, nausea, abdominal cramping) and the skin (pruritus, rash, cheilitis). Pharmacokinetic evaluations have found BAY 43-9006 to have considerable interpatient variability. However, there seems to be an increase in Cmax and AUC values with increasing dose. There is no clear effect of food on

bioavailability. Splitting the dose to twice-daily administration has shown increases in Cmax and AUC values but is also accompanied by considerable interpatient variability.

IT 475207-59-1, BAY 43-9006 mono-p-tosylate

RL: ADV (Adverse effect, including toxicity); DMA (Drug mechanism of action); PAC (Pharmacological activity); PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(BAY 43-9006 for patients with advanced solid neoplasm)


RN 475207-59-1 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1

CRN 284461-73-0


CMF C21 H16 Cl F3 N4 O3



CM 2

CRN 104-15-4

CMF C7 H8 O3 S



IT 139691-76-2, Raf-1 kinase

RL: BSU (Biological study, unclassified); BIOL (Biological study) (inhibitor; BAY 43-9006 for patients with advanced solid neoplasm)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 19 OF 28 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:208292 CAPLUS

DOCUMENT NUMBER: 139:269975

TITLE: Oncolytic Raf kinase inhibitor

AUTHOR(S): Sorbera, L. A.; Castaner, J.; Bozzo, J.; Leeson, P. A.

CORPORATE SOURCE: Prous Science, Barcelona, 08080, Spain

SOURCE: Drugs of the Future (2002), 27(12), 1141-1147

Searched by Barb O'Brien, STIC 571-272-2518

CODEN: DRFUD4; ISSN: 0377-8282

PUBLISHER:

Prous Science

DOCUMENT TYPE:

Journal; General Review

LANGUAGE:

English

ED Entered STN: 18 Mar 2003

AB A review with refs. The Ras/Raf/MEK pathway is a signaling module that controls cell growth and survival. Activation of this pathway results in a cascade of events from the cell surface to the nucleus ultimately affecting cellular proliferation, apoptosis, differentiation and transformation. Raf is a serine/threonine kinase that is a downstream effector enzyme of Ras. When activated, Raf goes on to activate MEK1 and MEK2 kinases which in turn phosphorylate and activate ERK1 and ERK2 which translocate to the nucleus where they stimulate pathways required for translation initiation and transcription activation leading to proliferation. Raf kinase has been validated as a potential and attractive target for hyperproliferative disorders such as cancer. Research has recently focused on efforts to discover potent Raf kinase inhibitors and several low-mol.-wt. Raf kinase inhibitors have been described. Bis-aryl ureas were identified within this program using medicinal chem.-directed syntheses or combinatorial libraries. After high-throughput screening of more than 200,000 compds. against recombinant Raf-1 kinase, the orally active Bay-43-9006 was identified as having potent inhibitory activity and was chosen for further development as a treatment for cancer. Bay-43-9006 has exhibited potent in vitro activity against several tumor cell lines and has displayed efficacy in human tumor xenograft models. Moreover, results from phase I development in patients with a variety of cancer types indicates promising clin. efficacy for the compd.

IT 139691-76-2, Raf kinase 284461-73-0, Bay-43-9006

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL

(Biological study); USES (Uses)


(oncolytic Raf kinase inhibitor)

RN 139691-76-2 CAPLUS

CN Kinase (phosphorylating), gene raf-1 protein (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 284461-73-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[4-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
arbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)

REFERENCE COUNT:

35

THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L122 ANSWER 20 OF 28

MEDLINE on STN

DUPLICATE 1

ACCESSION NUMBER:

2002002443

MEDLINE

DOCUMENT NUMBER:

PubMed ID: 11751484

TITLE:

PNU-145156E, a novel angiogenesis inhibitor, in patients

Searched by Barb O'Bryen, STIC 571-272-2518

AUTHOR: with solid tumors: a phase I and pharmacokinetic study.
Groen H J; de Vries E G; Wynendaele W; van der Graaf W T;
Fokkema E; Lechuga M J; Poggesi I; Dirix L Y; van Oosterom
A T

CORPORATE SOURCE: Department of Pulmonary Diseases, University Hospital
Groningen, Hanzeplein 1, 9713 GZ Groningen, the
Netherlands.. h.j.m.groen@int.azg.nl

SOURCE: Clinical cancer research : an official journal of the
American Association for Cancer Research, (2001 Dec) 7 (12)
3928-33.
Journal code: 9502500. ISSN: 1078-0432.

PUB. COUNTRY: United States

DOCUMENT TYPE: (CLINICAL TRIAL)
(CLINICAL TRIAL, PHASE I)
Journal; Article; (JOURNAL ARTICLE)
(MULTICENTER STUDY)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200203

ENTRY DATE: Entered STN: 20020102
Last Updated on STN: 20020403
Entered Medline: 20020327

ABSTRACT:

Our aim was to establish, in patients with solid tumors, the dose-limiting toxicity, maximum tolerated dose (MTD), and pharmacology of PNU-145156E, a new sulfonated distamycin A derivative that blocked circulating angiogenesis-promoting growth factors in animal studies and exhibited an antitumor effect in murine solid tumors. In a Phase I study, PNU-145156E was administered i.v. every 6 weeks. Included were patients with solid tumors; an Eastern Cooperative Oncology Group performance score ≤ 1 ; and normal bone marrow, renal, and liver functions and blood clotting tests. Excluded were patients with brain metastases or on steroid medication. Toxicity was scored with the National Cancer Institute Common Toxicity Criteria. Plasma and urine PNU-145156E was measured for pharmacokinetic analysis. The effect of PNU-145156E on serum basic fibroblast growth factor (bFGF) was measured by sandwich ELISA. Twenty-nine patients (median age, 54 years; range, 33-71 years; 19 males and 10 females; median performance score = 1) were treated at dose levels of 100-1050 mg/m². We observed, during 47 treatment cycles, erratic but short-lasting decreases of antithrombin III levels ($<75\%$) at all dose levels. Other clotting tests remained normal except during thromboembolic events. Dose-limiting toxicity was thrombophlebitis, pulmonary embolism, and grade 3 dyspnea. PNU-145156E disappeared from the circulation, decreasing triexponentially with a long terminal half-life of 1 month. No significant change in bFGF and no objective tumor responses were observed. Disease stabilization was achieved in four patients. In conclusion, the MTD of PNU-145156E was 1050 mg/m². Serum bFGF level was not affected by PNU-145156E up to the MTD.

CONTROLLED TERM: Check Tags: Female; Human; Male; Support, Non-U.S. Gov't
Adult
Aged
*Angiogenesis Inhibitors: AE, adverse effects
Angiogenesis Inhibitors: BL, blood
*Angiogenesis Inhibitors: PK, pharmacokinetics
Area Under Curve
Blood Coagulation: DE, drug effects
*Distamycins: AE, adverse effects
Distamycins: BL, blood
*Distamycins: PK, pharmacokinetics
Dose-Response Relationship, Drug
Infusions, Intravenous
Metabolic Clearance Rate
Middle Aged
Neoplasms: BL, blood

***Neoplasms: DT, drug therapy**

Patient Selection

CAS REGISTRY NO.:

154788-16-6 (FCE 26644) - Registry record printed at the end

CHEMICAL NAME:

0 (Angiogenesis Inhibitors); 0 (Distamycins)

of this section

L122 ANSWER 21 OF 28

MEDLINE on STN

DUPLICATE 2

ACCESSION NUMBER:

2000302179

MEDLINE

DOCUMENT NUMBER:

PubMed ID: 10845556

TITLE:

Antiangiogenic, antitumoural and antimetastatic effects of two distamycin A derivatives with anti-HIV-1 Tat activity in a Kaposi's sarcoma-like murine model.

AUTHOR:

Rossati L; Campioni D; Sola F; Leone L; Ferrante L; TrabANELLI C; Ciomei M; Montesi M; Rocchetti R; Talevi S; Bompadre S; Caputo A; Barbanti-Brodano G; Corallini A

CORPORATE SOURCE:

Institute of Biomedical Sciences, University of Ancona, Italy.. possati@popcsi.unian.it

SOURCE:

Clinical & experimental metastasis, (1999) 17 (7) 575-82. Journal code: 8409970. ISSN: 0262-0898.

PUB. COUNTRY:

Netherlands

DOCUMENT TYPE:

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE:

English

FILE SEGMENT:

Priority Journals; AIDS

ENTRY MONTH:

200006

ENTRY DATE:

Entered STN: 20000706

Last Updated on STN: 20000706

Entered Medline: 20000627

ABSTRACT:

The antiangiogenic, antitumoural and antimetastatic effects of two novel sulphonc derivatives of distamycin A, PNU145156E and PNU153429, were studied in a Kaposi's sarcoma-like tumour model obtained by injecting nude mice with cells releasing extracellular HIV-Tat protein, derived from a tumour which developed in a BK virus/tat transgenic mouse. Both PNU145156E and PNU153429 were administered intraperitoneally every fourth day for three weeks at doses of 100 or 50 mg/kg of body weight respectively, starting one day after injecting the tumour cells. Both drugs delayed tumour growth in nude mice, preventing neovascularization induced by the Tat protein. PNU153429 also significantly reduced the number and size of spontaneous tumour metastases. Both effects on tumour growth and metastases were augmented by treating simultaneously nude mice with 7.5 mg/kg of body weight of minocycline given per os daily for four weeks starting four days after injecting the tumour cells. Neither acute nor chronic toxic side-effects were observed during the life span of treated nude mice. Due to their antiangiogenic and anti-Tat effects, these drugs are promising for the treatment of Kaposi's sarcoma in AIDS patients.

CONTROLLED TERM:

Check Tags: Female; Male; Support, Non-U.S. Gov't

Angiogenesis Inhibitors: PD, pharmacology

*Angiogenesis Inhibitors: TU, therapeutic use

Angiogenesis Inhibitors: TO, toxicity

Animals

Antineoplastic Agents: PD, pharmacology

*Antineoplastic Agents: TU, therapeutic use

Antineoplastic Agents: TO, toxicity

Antineoplastic Combined Chemotherapy Protocols: TU, therapeutic use

Distamycins: AD, administration & dosage

Distamycins: PD, pharmacology

*Distamycins: TU, therapeutic use

Distamycins: TO, toxicity

Drug Screening Assays, Antitumor

*Gene Products, tat: AI, antagonists & inhibitors

Genes, tat

*HIV-1: GE, genetics

Mice

Mice, Nude

Mice, Transgenic
Minocycline: AD, administration & dosage
*Neoplasm Metastasis: DT, drug therapy
*Neoplasm Proteins: AI, antagonists & inhibitors
Neoplasm Transplantation
*Neovascularization, Pathologic: DT, drug therapy
*Sarcoma, Kaposi: DT, drug therapy
Sarcoma, Kaposi: ET, etiology
Sarcoma, Kaposi: PA, pathology
Transfection
CAS REGISTRY NO.: 10118-90-8 (Minocycline); 154788-16-6 (FCE 26644)
CHEMICAL NAME: 0 (Angiogenesis Inhibitors); 0 (Antineoplastic Agents); 0
(Antineoplastic Combined Chemotherapy Protocols); 0
(Distamycins); 0 (Gene Products, tat); 0 (Neoplasm
Proteins); 0 (PNU 153429)

L122 ANSWER 22 OF 28 MEDLINE on STN DUPLICATE 3
ACCESSION NUMBER: 1999380181 MEDLINE
DOCUMENT NUMBER: PubMed ID: 10449994
TITLE: Effects of suramin on anastomotic colon tumors in
a rat model.
AUTHOR: Lauwers P; Hubens G; Hendriks J; Vermeulen P; Schuerwegh A;
Stevens W J; De Clerck L S; Dirix L; Van Marck E; Hubens A;
Eyskens E
CORPORATE SOURCE: Laboratory for Experimental Surgery and Department of
Immunology, 'Medisch Instituut Sint Augustinus', Antwerp,
Belgium.
SOURCE: European surgical research. Europäische chirurgische
Forschung. Recherches chirurgicales europeennes, (1999) 31:
(4) 347-56.
Journal code: 0174752. ISSN: 0014-312X.
PUB. COUNTRY: Switzerland
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199910
ENTRY DATE: Entered STN: 19991101
Last Updated on STN: 19991101
Entered Medline: 19991021

ABSTRACT:

BACKGROUND: The development of antiangiogenic drugs offers new promise in the treatment of malignancy. Suramin has been reported to inhibit tumor growth by blocking angiogenesis and has been used in clinical trials. The aim of the present study was to examine the effects of suramin on colonic anastomotic tumors in the rat. METHODS: (a) Colonic anastomotic tumor was induced in 120 WAG/RIJ rats. Half of the animals were given 100 mg/kg of suramin intraperitoneally at the time of tumor induction. Rats were sacrificed after 2, 4 and 8 weeks; tumor take and tumor weight were evaluated. (b) The number of red blood cell clusters per x 400 field was counted in each tumor. (c) A lymphocyte transformation test was performed in four groups of animals, 2 weeks before and 2 weeks after tumor implantation and/or suramin administration. RESULTS: (a) A significant enhancement of tumor growth was observed in the suramin-treated animals. (b) This was accompanied by a significant increase in functional blood vessels. (c) Suramin-treated rats had markedly decreased lymphocyte stimulation, pointing to a possible immunosuppressive effect. CONCLUSIONS: The growth of an anastomotic ***colon*** tumor is rather enhanced by a single intraperitoneal administration of 100 mg/kg suramin in the rat, possibly by an unexpected immunosuppressive effect.

CONTROLLED TERM: Check Tags: Comparative Study; Male
Adenocarcinoma: BS, blood supply
*Adenocarcinoma: DT, drug therapy
Adenocarcinoma: IM, immunology

Adenocarcinoma: PA, pathology
Anastomosis, Surgical: AE, adverse effects
Animals
*Antineoplastic Agents: PD, pharmacology
Cell Survival: DE, drug effects
Colon: PA, pathology
*Colon: SU, surgery
Colonic Neoplasms: BS, blood supply
*Colonic Neoplasms: DT, drug therapy
Colonic Neoplasms: IM, immunology
Colonic Neoplasms: PA, pathology
Lymphocyte Activation: IM, immunology
Neoplasm Transplantation
Neoplasms, Experimental: BS, blood supply
*Neoplasms, Experimental: DT, drug therapy
Neoplasms, Experimental: IM, immunology
Neoplasms, Experimental: PA, pathology
Neovascularization, Pathologic: IM, immunology
Neovascularization, Pathologic: PA, pathology
Random Allocation
Rats
Rats, Inbred Strains
*Suramin: PD, pharmacology
Tumor Cells, Cultured
CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Antineoplastic Agents)

L122 ANSWER 23 OF 28 MEDLINE on STN DUPLICATE 4
ACCESSION NUMBER: 97285161 MEDLINE
DOCUMENT NUMBER: PubMed ID: 9140434
TITLE: Suramin in non-small cell lung cancer and
advanced breast cancer. Two parallel phase II studies.
AUTHOR: Mirza M R; Jakobsen E; Pfeiffer P; Lindebjerg-Clasen B;
Bergh J; Rose C
CORPORATE SOURCE: Department of Oncology, Odense University Hospital,
Denmark.
SOURCE: Acta oncologica (Stockholm, Sweden), (1997) 36 (2) 171-4.
Journal code: 8709065. ISSN: 0284-186X.
PUB. COUNTRY: Norway
DOCUMENT TYPE: (CLINICAL TRIAL)
(CLINICAL TRIAL, PHASE II)
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199705
ENTRY DATE: Entered STN: 19970609
Last Updated on STN: 19970609
Entered Medline: 19970528

ABSTRACT:

Suramin inhibits the growth of non-small cell lung cancer (NSCLC) and breast cancer in vitro by blocking the action of most known growth factors. The clinical efficacy of suramin was evaluated in patients with unresectable or relapsed NSCLC (n = 16) and advanced breast cancer (ABC) resistant to conventional therapies (n = 12). A plasma level > or = 200 micrograms/ml was maintained by three times weekly administrations using adaptive control with feedback. Treatment was continued until documented progression of disease or unacceptable toxicity. No clinical responses were observed in any patient. Median overall survival was 4.5 months in NSCLC and 9 months in ABC patients. Mean treatment duration was 6.6 weeks in NSCLC patients and 15.9 weeks in ABC patients. Treatment was discontinued due to disease progression in 14 patients, unacceptable adverse effects in 11 patients, while three patients refused to continue therapy. We cannot recommend this drug for further clinical trials in NSCLC and ABC.

CONTROLLED TERM: Check Tags: Female; Human; Male
Adult
Aged
Antineoplastic Agents: AE, adverse effects
Antineoplastic Agents: BL, blood
*Antineoplastic Agents: TU, therapeutic use
Breast Neoplasms: BL, blood
*Breast Neoplasms: DT, drug therapy
Carcinoma, Non-Small-Cell Lung: BL, blood
*Carcinoma, Non-Small-Cell Lung: DT, drug therapy
Lung Neoplasms: BL, blood
*Lung Neoplasms: DT, drug therapy
Middle Aged
Suramin: AE, adverse effects
Suramin: BL, blood
*Suramin: TU, therapeutic use
CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Antineoplastic Agents)

L122 ANSWER 24 OF 28 MEDLINE on STN DUPLICATE 5
ACCESSION NUMBER: 97230207 MEDLINE
DOCUMENT NUMBER: PubMed ID: 9075785
TITLE: Suramin inhibits the growth of non-small-cell lung cancer cells that express the epidermal growth factor receptor.
AUTHOR: Fujiuchi S; Ohsaki Y; Kikuchi K
CORPORATE SOURCE: First Department of Medicine, Asahikawa Medical College, Japan.
SOURCE: Oncology, (1997 Mar-Apr) 54 (2) 134-40.
Journal code: 0135054. ISSN: 0030-2414.
PUB. COUNTRY: Switzerland
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199704
ENTRY DATE: Entered STN: 19970422
Last Updated on STN: 20000303
Entered Medline: 19970408

ABSTRACT:

The epidermal growth factor (EGF) is a potent growth factor that is believed to enhance the proliferation of cancer cells by a paracrine or autocrine mechanism. EGF transduces various signals and finally stimulates cell proliferation upon binding to cell surface receptors. Prevention of the association of this peptide with its receptors might lead to the development of new modalities for treatment of lung cancer. Several investigators have reported that suramin has antiproliferative activity against cancer cells that express EGF receptors (EGF-R), and that it acts by blocking the binding of the ligand to its receptor. In this study, we analyzed the antitumor effect of suramin using two lines of lung cancer cells (A549 and PC-13), which express EGF-R, and a variety of assays. Receptor-binding assays confirmed that A549 and PC-13 cells have cell surface receptors for EGF. Suramin inhibited the binding of EGF to these receptors. EGF and fetal bovine serum (FBS) stimulated the proliferation of cells, but suramin inhibited these effects in a dose-dependent fashion. Suramin at 200 microg/ml reduced the growth of A549 and PC-13 cells by 25 and 15%, respectively, in medium that contained 1% FBS. Paradoxically, the concentrations of suramin that inhibited cell proliferation were lower than those that were effective in inhibiting the binding of EGF to its receptor. Although expression of c-fos and c-myc mRNA increased when cells were stimulated by EGF or FBS, suramin at 200 microg/ml did not markedly alter such expression. Suramin partially blocked the EGF-induced progression of the cell cycle from the G0/G1 to the S phase. These results suggest that suramin partially blocks EGF signal transduction. Suramin probably inhibits cell proliferation by inhibiting intranuclear enzymes, as well as by partial

blockage of EGF signal transduction.

CONTROLLED TERM: Check Tags: Human
*Anticarcinogenic Agents: PD, pharmacology
Blotting, Northern
*Carcinoma, Non-Small-Cell Lung: DT, drug therapy
*Carcinoma, Non-Small-Cell Lung: ME, metabolism
Cell Division: DE, drug effects
*Gene Expression Regulation, Neoplastic: DE, drug effects
Genes, fos
Genes, myc
*Lung Neoplasms: DT, drug therapy
*Lung Neoplasms: ME, metabolism
RNA, Messenger: ME, metabolism
RNA, Neoplasm: ME, metabolism
*Receptor, Epidermal Growth Factor: BI, biosynthesis
Receptor, Epidermal Growth Factor: ME, metabolism
*Suramin: PD, pharmacology
Tumor Cells, Cultured
CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Anticarcinogenic Agents); 0 (RNA, Messenger); 0 (RNA, Neoplasm); EC 2.7.1.112 (Receptor, Epidermal Growth Factor)

L122 ANSWER 25 OF 28 MEDLINE on STN DUPLICATE 6
ACCESSION NUMBER: 96336811 MEDLINE
DOCUMENT NUMBER: PubMed ID: 8738403
TITLE: Intravesical suramin: a novel agent for the treatment of superficial transitional-cell carcinoma of the bladder.
AUTHOR: Walther M M; Figg W D; Linehan W M
CORPORATE SOURCE: Urologic Oncology Section, National Cancer Institute, Bethesda, MD 20892, USA.
SOURCE: World journal of urology, (1996) 14 Suppl 1 S8-11. Ref: 31
Journal code: 8307716. ISSN: 0724-4983.
PUB. COUNTRY: GERMANY: Germany, Federal Republic of
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
General Review; (REVIEW)
(REVIEW, TUTORIAL)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199612
ENTRY DATE: Entered STN: 19970128
Last Updated on STN: 19970128
Entered Medline: 19961202

ABSTRACT:

Patients with recurrent or high-grade superficial transitional-cell carcinoma of the **bladder** that has recurred after intravesical chemotherapy are at increased risk for tumor invasion and metastases. Intravesical chemotherapy is a minimally invasive technique that allows high doses of therapeutic agents to be delivered directly to the malignancy, doses that would not be tolerated systemically. In vitro studies demonstrate suramin's significant efficacy against transitional-cell carcinoma cell lines at relatively low doses. Humans treated with similar doses delivered in a systemic fashion have experienced no ***bladder*** toxicity. Suramin has been shown to block the binding of epidermal growth factor (EGF) to its receptors, which are found in large amounts in **bladder** cancers. Because a significant association has been found between the number of EGF receptors on a **bladder**-cancer cell and its sensitivity to suramin, transitional-cell carcinoma could potentially be very responsive to such therapy. On the basis of these findings, a phase I escalating-suramin-dose study is currently being conducted.

CONTROLLED TERM: Check Tags: Human
Administration, Intravesical
Animals
Antineoplastic Agents: AD, administration & dosage

*Antineoplastic Agents: TU, therapeutic use
*Bladder Neoplasms: DT, drug therapy
*Carcinoma, Transitional Cell: DT, drug therapy
Suramin: AD, administration & dosage
*Suramin: TU, therapeutic use
Treatment Outcome

CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Antineoplastic Agents)

L122 ANSWER 26 OF 28 MEDLINE on STN DUPLICATE 7

ACCESSION NUMBER: 91003939 MEDLINE

DOCUMENT NUMBER: PubMed ID: 2208069

TITLE: The concentration of glucose in the culture medium determines the effect of suramin on the growth and differentiation of the human colonic adenocarcinoma cell clone HT29-D4.

AUTHOR: Rabenandrasana C; Baghdiguian S; Roccabianca M; Brunet M; Marvaldi J; Fantini J

CORPORATE SOURCE: CNRS URA 202, Universite de Provence, Marseille, France.

SOURCE: Cancer letters, (1990 Sep) 53 (2-3) 109-15.
Journal code: 760053. ISSN: 0304-3835.

PUB. COUNTRY: Netherlands

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199011

ENTRY DATE: Entered STN: 19910117

Last Updated on STN: 19970203

Entered Medline: 19901115

ABSTRACT:

Suramin, a drug currently used for advanced malignancy, induces the differentiation of the human colonic adenocarcinoma cell clone HT29-D4 and this process is correlated with a decreased glycolytic activity. We investigated the effects of suramin on HT29-D4 cells in the presence of various glucose concentrations. The main result of this study is that suramin has only an effect on HT29-D4 cell growth and differentiation when the concentration of glucose is above 10 mM. Therefore the efficiency of suramin as an anticancer drug may be greater on poorly differentiated tumoral cells with a high proliferative capacity.

CONTROLLED TERM: Check Tags: Human; In Vitro; Support, Non-U.S. Gov't.

*Adenocarcinoma: DT, drug therapy

Adenocarcinoma: ME, metabolism

*Colonic Neoplasms: DT, drug therapy

Colonic Neoplasms: ME, metabolism

Culture Media

Glucose: ME, metabolism

*Glucose: PD, pharmacology

Microscopy, Electron

*Suramin: TU, therapeutic use

*Tumor Cells, Cultured: DE, drug effects

Tumor Cells, Cultured: ME, metabolism

CAS REGISTRY NO.: 145-63-1 (Suramin); 50-99-7 (Glucose)

CHEMICAL NAME: 0 (Culture Media)

L122 ANSWER 27 OF 28 MEDLINE on STN DUPLICATE 8

ACCESSION NUMBER: 89170311 MEDLINE

DOCUMENT NUMBER: PubMed ID: 2924693

TITLE: [Treatment of metastatic adrenal carcinoma with suramin].
Behandlung des metastasierten Nebennierenkarzinoms mit Suramin.

AUTHOR: Allolio B; Jaursch-Hancke C; Reincke M; Arlt W; Metzler U; Winkelmann W

CORPORATE SOURCE: Medizinische Universitätsklinik II und Poliklinik, Koln.

SOURCE: Deutsche medizinische Wochenschrift, (1989 Mar 10) 114 (10)
381-4.
Journal code: 0006723. ISSN: 0012-0472.
PUB. COUNTRY: GERMANY, WEST: Germany, Federal Republic of
DOCUMENT TYPE: (CASE REPORTS)
Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: German
FILE SEGMENT: Priority Journals
ENTRY MONTH: 198904
ENTRY DATE: Entered STN: 19900306
Last Updated on STN: 19900306
Entered Medline: 19890427

ABSTRACT:

A right adrenocortical carcinoma (weighing 978 g) was removed from a 45-year-old man in April 1986, the tumour bed then being irradiated with 40 Gy. Subsequently discovered multiple lung metastases were treated with cisplatin, etoposide and bleomycin, without improvement. Treatment with mitotane (Lysodren) was also without effect and had to be discontinued because of severe side effects. Treatment with suramin (Germanin) was begun in August 1987. After a loading dose of 10.7 g for six weeks the lung metastases regressed almost completely. But lung metastases were again demonstrated in January 1988 during a low-dose maintenance regimen of suramin. Increased dosage arrested further growth, but achieved no regression of the metastases. The patient died unexpectedly in April 1988 of acute circulatory failure. Suramin administration had been discontinued six weeks earlier because of bronchopneumonia and general deterioration. Thrombocytopenia, coagulation disorders and moderate proteinuria were the side effects of suramin treatment.

CONTROLLED TERM: Check Tags: Comparative Study; Human; Male
Adrenal Cortex Neoplasms: BL, blood
*Adrenal Cortex Neoplasms: DT, drug therapy
Antineoplastic Combined Chemotherapy Protocols: AE, adverse effects
Antineoplastic Combined Chemotherapy Protocols: TU, therapeutic use
Carcinoma: BL, blood
*Carcinoma: DT, drug therapy
Combined Modality Therapy
Dose-Response Relationship, Drug
Drug Evaluation
English Abstract
Lung Neoplasms: BL, blood
Lung Neoplasms: DT, drug therapy
*Lung Neoplasms: SC, secondary
Middle Aged
Radiotherapy Dosage
Remission Induction
Suramin: AD, administration & dosage
Suramin: AE, adverse effects
*Suramin: TU, therapeutic use
Time Factors

CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Antineoplastic Combined Chemotherapy Protocols)

L122 ANSWER 28 OF 28 MEDLINE on STN
ACCESSION NUMBER: 2002729156 MEDLINE
DOCUMENT NUMBER: PubMed ID: 12478189
TITLE: A phase I study of intravesical suramin for the treatment of superficial transitional cell carcinoma of the bladder.
AUTHOR: Uchio Edward M; Linehan W Marston; Figg William D; Walther McClellan M
CORPORATE SOURCE: Urologic Oncology Therapeutic Branch, Center for Cancer

SOURCE: Research, National Cancer Institute/NIH, Bethesda, MD, USA.
Journal of urology, (2003 Jan) 169 (1) 357-60.
Journal code: 0376374. ISSN: 0022-5347.

PUB. COUNTRY: United States

DOCUMENT TYPE: (CLINICAL TRIAL)
(CLINICAL TRIAL, PHASE I)
Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Abridged Index Medicus Journals; Priority Journals

ENTRY MONTH: 200301

ENTRY DATE: Entered STN: 20021221
Last Updated on STN: 20030110
Entered Medline: 20030109

ABSTRACT:

PURPOSE: Suramin is a polysulfonated naphthylurea that inhibits proliferation and DNA synthesis of transitional cell carcinoma cell lines. Its large molecular size and negative charge inhibit **bladder** absorption, making suramin an excellent candidate for intravesical chemotherapy. Intravesical suramin was evaluated in a phase I study to define dose limiting toxicity and systemic absorption, determine a starting dose and regimen for phase II studies and provide a preliminary assessment of in vivo antitumor activity. **MATERIALS AND METHODS:** Intravesical suramin treatment was administered in 9 patients with histologically identified transitional cell carcinoma (Tcis, Ta or T1) in whom at least 1 course of standard intravesical chemotherapy (bacillus Calmette-Guerin, thiotepa or mitomycin C) had failed. Suramin was administered once weekly for 6 weeks. Patients were treated in groups of 3 using a 60 cc volume and inpatient dose escalation schedule. Suramin doses of 0.3 to 614.4 mg./ml. were administered intravesically. The last group was treated with the same weekly dose for 6 weeks. **RESULTS:** The 9 patients underwent 54 treatments with suramin. Plasma suramin concentration after treatment was 1.9 to 38.0 microg./ml. and was not related to treatment dose. The dose escalation phase was limited by the solubility of suramin in solution. Complications included self-limited **bladder** spasms (less than 24 hours) in 4 of 54 treatments (7%) and new or worsening vesicoureteral reflux in 3 ureters (17%). Another patient who was treated after the Foley balloon was inflated in the urethra experienced **bladder** spasms, skin flushing and fever (39C). Mean **bladder** capacity before and after treatment was 600 and 540 ml., respectively. At followup 7 patients had stage Ta tumors and 2 had carcinoma in situ. **CONCLUSIONS:** An intravesical suramin dose of 153 mg./ml was defined as a safe treatment parameter with acceptable plasma concentrations and minimal side effects. Phase II studies are needed to assess the antitumor activity of suramin in patients with transitional cell carcinoma of the **bladder**.

CONTROLLED TERM: Check Tags: Female; Human; Male; Support, U.S. Gov't, P.H.S.

Administration, Intravesical
Aged

*Antineoplastic Agents: AD, administration & dosage
Antineoplastic Agents: AE, adverse effects

***Bladder Neoplasms:** DT, drug therapy

Bladder Neoplasms: PA, pathology

***Carcinoma, Transitional Cell:** DT, drug therapy

Carcinoma, Transitional Cell: PA, pathology

Middle Aged

***Suramin:** AD, administration & dosage

Suramin: AE, adverse effects

CAS REGISTRY NO.: 145-63-1 (Suramin)

CHEMICAL NAME: 0 (Antineoplastic Agents)

=> fil reg

FILE 'REGISTRY' ENTERED AT 17:01:20 ON 09 MAR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1
DICTIONARY FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> s 145-63-1 or 154788-16-6

1 145-63-1
(145-63-1/RN)
1 154788-16-6
(154788-16-6/RN)
L123 2 145-63-1 OR 154788-16-6


Medline/Cancerlit hit Registry #'s

=> d ide 1-

YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y


L123 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN
RN 154788-16-6 REGISTRY
CN 1,3-Naphthalenedisulfonic acid, 7,7'-[carbonylbis[imino(1-methyl-1H-pyrrole-4,2-diyl)carbonylimino(1-methyl-1H-pyrrole-4,2-diyl)carbonylimino]]bis-, tetrasodium salt (9CI) (CA INDEX NAME)
OTHER NAMES:
CN FCE 26644
CN PNU 145156E
CN PNU 151484
MF C45 H40 N10 O17 S4 . 4 Na
SR CA
LC STN Files: ADISINSIGHT, BIOSIS, CA, CANCERLIT, CAPLUS, IMSDRUGNEWS, IMSRESEARCH, MEDLINE, PHAR, PROMT, TOXCENTER, USPATFULL
CRN (159537-58-3)

PAGE 1-A



● 4 Na

PAGE 1-B



24 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

24 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L123 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN

RN 145-63-1 REGISTRY

CN 1,3,5-Naphthalenetrisulfonic acid, 8,8'-[carbonylbis(imino-3,1-phenylene)carbonylimino(4-methyl-3,1-phenylene)carbonylimino]]bis- (9CI)
(CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1,3,5-Naphthalenetrisulfonic acid, 8,8'-[ureylenebis(m-phenylene)carbonylimino(4-methyl-m-phenylene)carbonylimino]]di- (8CI)

OTHER NAMES:

CN 8,8'-[Ureylenebis(m-phenylene)carbonylimino(4-methyl-m-phenylene)carbonylimino]]di-1,3,5-naphthalenetrisulfonic acid

CN Farma

CN Farma 939

CN Fourneau

CN Naganol

CN Suramin

CN Suramine

MF C51 H40 N6 O23 S6

CI COM


LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CBNB, CHEMCATS, CHEMLIST, CIN, DDFU, DRUGU, EMBASE, IMSDRUGNEWS, IMSRESEARCH, IPA, MEDLINE, NAPRALERT, NIOSHTIC, PHAR, PROMT, RTECS*, SYNTHLINE, TOXCENTER, TULSA, USAN, USPAT2, USPATFULL, VETU

(*File contains numerically searchable property data)


Other Sources: EINECS**

(**Enter CHEMLIST File for up-to-date regulatory information)

PAGE 1-A



PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1329 REFERENCES IN FILE CA (1907 TO DATE)


37 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

1332 REFERENCES IN FILE CAPLUS (1907 TO DATE)

3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

$C_{25}H_{27}N_3O_3$
Exact Mass: 417.21
Mol. Wt.: 417.50


m/e: 417.21 (100.0%), 418.21 (28.3%), 419.21 (4.8%), 418.20 (1.1%)
C, 71.92; H, 6.52; N, 10.06; O, 11.50



n-(3-tert-butylphenyl)-n'-(4-(3-(n-methylcarbamoyl)phenoxy)phenyl) urea

$C_{26}H_{25}N_3O_5$
Exact Mass: 459.18
Mol. Wt.: 459.49


m/e: 459.18 (100.0%), 460.18 (30.2%), 461.19 (4.2%), 461.18 (1.3%)
C, 67.96; H, 5.48; N, 9.14; O, 17.41




n-(5-tert-butyl-2-methoxyphenyl)-n'-(4-(1,3-dioxoisindolin-5-yloxy)phenyl) urea


$C_{21}H_{17}F_3N_4O_4$
Exact Mass: 446.12
Mol. Wt.: 446.38

m/e: 446.12 (100.0%), 447.12 (25.0%), 448.13 (2.7%), 448.12 (1.2%)
C, 56.50; H, 3.84; F, 12.77; N, 12.55; O, 14.34



n-(2-methoxy-5-(trifluoromethyl)phenyl)-n'-(3-(2-carbamoyl-4-pyridyloxy)phenyl)urea





n-(4-chloro-3-(trifluoromethyl)phenyl)-n'-(3-(2-carbamoyl-4-pyridoxy)phenyl)urea


$C_{20}H_{14}ClF_3N_4O_3$

Exact Mass: 450.07

Mol. Wt.: 450.80

m/e: 450.07 (100.0%), 452.07 (32.9%), 451.07 (23.9%), 453.07 (7.3%), 452.08 (2.4%),
454.07 (1.1%)

C, 53.29; H, 3.13; Cl, 7.86; F, 12.64; N, 12.43; O, 10.65



n-(2-methoxy-4-chloro-5-(trifluoromethyl)phenyl)-n'-(3-(2-(n-methylcarbamoyl)-4-pyridyloxy)phenyl)urea

$C_{22}H_{18}ClF_3N_4O_4$

Exact Mass: 494.10

Mol. Wt.: 494.85

m/e: 494.10 (100.0%), 496.09 (32.0%), 495.10 (24.9%), 497.10 (8.2%), 496.10 (4.1%), 495.09
(1.5%), 498.10 (1.2%)

C, 53.40; H, 3.67; Cl, 7.16; F, 11.52; N, 11.32; O, 12.93

THIS PAGE BLANK (USPTO)

=> fil reg; d stat que l118; fil capl uspatf toxcenter; s l118
FILE 'REGISTRY' ENTERED AT 17:01:48 ON 09 MAR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.


STRUCTURE FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1
DICTIONARY FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>





*same full file search as
before*

NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE
L11 7207318 SEA FILE=REGISTRY ABB=ON NR>2 AND N>1 AND O/ELS
L13 40386 SEA FILE=REGISTRY SUB=L11 SSS FUL L9
L116 STR



NH~Me
@40 41

*subset search done on
this structure
(highlighted compounds)*

VAR G1=T-BU/CF3

VAR G2=20/26

VAR G3=NH2/40

VAR G4=N/C

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 41

STEREO ATTRIBUTES: NONE

L118 9 SEA FILE=REGISTRY SUB=L13 SSS FUL L116

100.0% PROCESSED 51 ITERATIONS

SEARCH TIME: 00.00.01

9 ANSWERS

FILE 'CAPLUS' ENTERED AT 17:01:49 ON 09 MAR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 17:01:49 ON 09 MAR 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'TOXCENTER' ENTERED AT 17:01:49 ON 09 MAR 2004

COPYRIGHT (C) 2004 ACS

L124 26 L118

=> dup rem l124

PROCESSING COMPLETED FOR L124

L125 16 DUP REM L124 (10 DUPLICATES REMOVED)

ANSWERS '1-7' FROM FILE CAPLUS

ANSWERS '8-16' FROM FILE USPATFULL

=> d ibib ed abs hitstr 1-16; fil hom

L125 ANSWER 1 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 1
ACCESSION NUMBER: 2003:874965 CAPLUS
DOCUMENT NUMBER: 139:364958
TITLE: Preparation of omega-carboxyaryl substituted diphenyl
ureas as raf kinase inhibitors
INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger,
Timothy B.; Scott, William J.; Smith, Roger A.; Wood,
Jill E.; Monahan, Mary-Katherine; Natero, Reina;
Renick, Joel; Sibley, Robert N.
PATENT ASSIGNEE(S): Bayer Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 60 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003207872	A1	20031106	US 2002-42226	20020111
PRIORITY APPLN. INFO.:			US 2002-42226	20020111

OTHER SOURCE(S): MARPAT 139:364958

ED Entered STN: 07 Nov 2003

AB Urea derivs. of formula A-NHCONH-B or pharmaceutically acceptable salts thereof [A = a substituted moiety of up to 40 carbon atoms of the formula -L-(M-L1)q; where L = a 5 or 6 membered cyclic structure bound directly to D; L1 = a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur; B = a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D contg. 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepd. These compds. are useful for raf mediated diseases, in particular a cancerous cell growth mediated by raf kinase. All compds. exemplified, e.g. N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea, displayed IC50 of between 1 mM and 10 .mu.M.


IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of .omega.-carboxyaryl substituted di-Ph ureas as raf kinase inhibitors for treating raf-mediated diseases such as cancerous cell growth)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 2 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 2
 ACCESSION NUMBER: 2003:757329 CAPLUS
 DOCUMENT NUMBER: 139:276918
 TITLE: Preparation of omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors
 INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.
 PATENT ASSIGNEE(S): Bayer Corporation, USA
 SOURCE: U.S. Pat. Appl. Publ., 61 pp.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003/181442	A1	20030925	US 2001-993647	20011127
PRIORITY APPLN. INFO.:			US 2001-993647	20011127
OTHER SOURCE(S): MARPAT 139:276918				

ED Entered STN: 26 Sep 2003

AB Aryl ureas of formula A-NHCONH-B [A = a substituted moiety of up to 40 carbon atoms of the formula: -L-(M-L1)_q (where L = a 5 or 6 membered cyclic structure bound directly to D, L1 comprises a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of from 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur); B = a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D contg. 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepd. These urea derivs. are useful for treating raf mediated diseases, in particular cancerous cell growth mediated by raf kinase. Thus, N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. Thus, a soln. of 4-bromo-3-(trifluoromethyl)phenyl isocyanate (8.0 g, 30.1 mmol) in CH₂Cl₂ (80 mL) was added dropwise to a soln. of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (7.0 g, 28.8 mmol) in CH₂Cl₂ (40 mL) at 0.degree., stirred at room temp. for 16 h, and filtered to give, after washing the yellow solids, washing with CH₂Cl₂ (2 .times. 50 mL), and drying under reduced pressure (approx. 1 mmHg) at 40.degree. to give N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. All compds. exemplified showed IC₅₀ between 1 nM to 10 .mu.M against raf kinase.

IT 284461-42-3P 284461-43-4P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl]urea
 284461-49-0P, N-(2-Methoxy-5-trifluoromethylphenyl)-N'-[3-[(2-carbamoyl-4-pyridyl)oxy]-4-methylphenyl]urea 284461-75-2P,
 N-(4-Chloro-3-trifluoromethylphenyl)-N'-[3-[(2-carbamoyl-4-pyridyl)oxy]phenyl]urea 284461-76-3P, N-(4-Chloro-3-


trifluoromethylphenyl)-N'-[3-[(2-methylcarbamoyl-4-pyridyl)oxy]phenyl]urea
284461-81-OP 284462-22-2P 284462-23-3P
284462-31-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(prepn. of omega-carboxyaryl substituted di-Ph ureas as raf kinase
inhibitors and anticancer agents)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c
arbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 3 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 3

ACCESSION NUMBER: 2003:590832 CAPLUS

DOCUMENT NUMBER: 139:149528

TITLE: Preparation of diphenylureas as RAF kinase inhibitors
INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S. Pat. Appl. Publ., 62 pp., Cont. of U. S. Ser. No. 42,203.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003144278	A1	20030731	US 2002-283248	20021030
PRIORITY APPLN. INFO.:			US 2001-367380P	P 20010112
			US 2002-42203	A1 20020111

OTHER SOURCE(S): MARPAT 139:149528


ED Entered STN: 01 Aug 2003

AB ADB [I; D = NHCONH; A = L(ML1)q; L = 5-6 membered cyclic structure bound directly to D; L1 = substituted cyclic moiety having .gtoreq.5 members, M = bridging group having .gtoreq.1 atom; q = 1-3; L, L1 contain 0-4 N, O, S; B = (substituted) up to tricyclic aryl, heteroaryl of .ltoreq.30 C atoms with .gtoreq.1 6-membered cyclic structure bound directly to D contg. 0-4 N, O, S], were prep'd. Thus, 4-chloro-3-(trifluoromethyl)phenyl isocyanate in CH2Cl2 was added dropwise to a suspension of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (prepn. given) in CH2Cl2 at 0.degree.; the resulting mixt. was stirred at room temp. for 22 h. to afford N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. I inhibited RAF kinase in the range 1 nM-1 .mu.M. I pharmaceutical compns. are claimed.


IT 284461-42-3P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl] urea 284461-43-4P, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl] urea 284461-49-0P 284461-75-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl] urea 284461-76-3P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284461-81-0P 284462-22-2P, N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea 284462-23-3P 284462-31-3P, N-[2-Methoxy-4-chloro-5-(trifluoromethyl)phenyl]-N'-[3-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl] urea
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of diphenylureas as RAF kinase inhibitors)
RN 284461-42-3 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-43-4 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS
CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]c

arbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-31-3 CAPLUS
 CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 4 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 4
 ACCESSION NUMBER: 2002:615574 CAPLUS
 DOCUMENT NUMBER: 137:169425
 TITLE: Preparation of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors
 INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Sibley, Robert N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.
 PATENT ASSIGNEE(S): Bayer Corporation, USA
 SOURCE: PCT Int. Appl., 125 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 5
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002062763	A2	20020815	WO 2002-US3361	20020207
WO 2002062763	A3	20021010		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2002165394	A1	20021107	US 2001-777920	20010207
PRIORITY APPLN. INFO.:				
			US 2001-777920	A 20010207
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B2 19991022
			US 2001-758548	A2 20010112
OTHER SOURCE(S): MARPAT 137:169425				

ED Entered STN: 16 Aug 2002
GI



II

AB Title compds., e.g., RNHCONHZOR1 [I; R = C₆H₄(CMe₃)-3, 2-methoxy-5-trifluoromethylphenyl, 4-chloro-3-trifluoromethylphenyl, 2-methoxy-3-quinolyl, etc.; R1 = (un)substituted acylphenyl, -acylpyridinyl, etc.; Z = (un)substituted 1,3- or -1,4-phenylene] were prepd. Thus, 4-(H₂N)C₆H₄OC₆H₄(CONHMe)-4 (prepn. given) was condensed with 3-(Me₃C)C₆H₄NH₂ and CO(OCCl₃)₂ to give title compd. II. Data for biol. activity of title compds. were given.


IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 5 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 5

ACCESSION NUMBER: 2002:850357 CAPLUS

DOCUMENT NUMBER: 137:352907

TITLE: Preparation of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase for the treatment of tumors and/or cancerous cell growth

INVENTOR(S): Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Robert, Sibley N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S. Pat. Appl. Publ., 63 pp., Cont.-in-part of U.S. Ser. No. 758,548.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 5

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----

US 2002165394 A1 20021107 US 2001-777920 20010207
ZA 2001005751 A 20030714 ZA 2001-5751 20010712
US 2002137774 A1 20020926 US 2001-907970 20010719
WO 2002062763 A2 20020815 WO 2002-US3361 20020207
WO 2002062763 A3 20021010


W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2003139605 A1 20030724 US 2002-71248 20020211
PRIORITY APPLN. INFO.: US 1999-115877P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B2 19991022
US 2001-758548 A2 20010112
US 1999-115878P P 19990113
US 2001-777920 A 20010207
US 2001-948915 A1 20010910

OTHER SOURCE(S): MARPAT 137:352907
ED Entered STN: 08 Nov 2002
GI



II



III

AB Title compds. B-NHCONH-L-(M-L1)_q (I) [B = (un)substituted pyridyl, quinolinyl, isoquinolinyl; L = 5 or 6 membered cyclic structure; L1 = substituted cyclic moiety having at least 5 members; M = bridging group having at least one atom; q = 1-3; with proviso that L and L1 contain 0-4 hetero atoms, e.g., N, O and S] and their pharmaceutically acceptable salts were prepd. For example, coupling of aniline II, e.g., prepd. from Et 3-hydroxybenzoate in 4-steps, with bis(trichloromethyl)carbonate followed by 3-tert-butylaniline afforded urea III. In in vitro raf kinase assays, 112-specific examples of compds. I inhibited kinase activity with IC₅₀ values ranging from 10 nM-10 .mu.M. Compds. I are useful for the treatment of cancerous cell growth mediated by raf kinase.

IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; prepn. of quinolyl, isoquinolyl or pyridyl-ureas as

inhibitors of raf kinase)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)



RN 284461-75-2 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)



RN 284461-76-3 CAPLUS


CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)

carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




L125 ANSWER 6 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 6
 ACCESSION NUMBER: 2000:493516 CAPLUS
 DOCUMENT NUMBER: 133:120157
 TITLE: Preparation of .omega.-carboxy(hetero)aryl substituted diphenyl ureas as raf kinase inhibitors
 INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.
 PATENT ASSIGNEE(S): Bayer Corporation, USA
 SOURCE: PCT Int. Appl., 120 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 5
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000/42012	A1	20000720	WO 2000-US648	20000112
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2359510	AA	20000720	CA 2000-2359510	20000112
AU 2000025016	A5	20000801	AU 2000-25016	20000112
EP 1140840	A1	20011010	EP 2000-903239	20000112
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
EE 200100368	A	20030415	EE 2001-368	20000112
JP 2003526613	T2	20030909	JP 2000-593580	20000112
BR 2000007487	A	20030923	BR 2000-7487	20000112
US 2001011135	A1	20010802	US 2001-773659	20010202
US 2001011136	A1	20010802	US 2001-773675	20010202
US 2001016659	A1	20010823	US 2001-773672	20010202
US 2001027202	A1	20011004	US 2001-773658	20010202
US 2001034447	A1	20011025	US 2001-773604	20010202
NO 2001003463	A	20010912	NO 2001-3463	20010712
ZA 2001005751	A	20030714	ZA 2001-5751	20010712
US 2002137774	A1	20020926	US 2001-907970	20010719
BG 105763	A	20020329	BG 2001-105763	20010801
HR 2001000580	A1	20020831	HR 2001-580	20010802
US 2002042517	A1	20020411	US 2001-948915	20010910
US 2003139605	A1	20030724	US 2002-71248	20020211
PRIORITY APPLN. INFO.:			US 1999-115877P	P 19990113
			US 1999-257266	A2 19990225
			US 1999-425228	A2 19991022

US 1999-115878P P 19990113
 WO 2000-US648 W 20000112
 US 2001-948915 A1 20010910

OTHER SOURCE(S): MARPAT 133:120157
 ED Entered STN: 21 Jul 2000
 GI




AB This invention relates to the prepn. and use of (hetero)aryl ureas ANHCONHB [I; A = L(ML1)q; L = 5- or 6-membered (hetero)aryl, esp. Ph or pyridinyl; M = bridging group; L1 = (hetero)aryl with at least one (un)substituted sulfamoyl, carboxy, or carbamoyl substituent; q = 1-3; B = certain (un)substituted mono- to tricyclic aryl or heteroaryl groups] for the treatment of raf mediated diseases, such as cancer (no data). Approx. 100 invention compds. and numerous intermediates were prepd. For instance, 3-tert-butylaniline was coupled with bis(trichloromethyl)carbonate to form the isocyanate, followed by addn. of 4-(3-N-methylcarbamoylphenoxy)aniline (prepn. given) to afford the urea II.

IT **284461-42-3P 284461-43-4P**, N-[2-Methoxy-5-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl]urea
284461-75-2P, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[3-(2-carbamoyl-4-pyridyloxy)phenyl]urea **284462-22-2P**, N-[4-Bromo-3-(trifluoromethyl)phenyl]-N'-[3-[[2-(N-methylcarbamoyl)-4-pyridyl]oxy]phenyl]urea **284462-31-3P**, N-[2-Methoxy-4-chloro-5-(trifluoromethyl)phenyl]-N'-[3-[[2-(N-methylcarbamoyl)-4-pyridyl]oxy]phenyl]urea
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. of .omega.-carboxy(hetero)aryl substituted di-Ph urea raf kinase inhibitors by reacting arylisocyanates with arylamines)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




IT 284461-49-0P 284461-81-0P 284462-23-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of .omega.-carboxy(hetero)aryl substituted di-Ph urea raf kinase inhibitors by reacting arylisocyanates with arylamines)

RN 284461-49-0 CAPLUS


CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]

carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




IT **284461-76-3**, N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-(3-((2-(N-Methylcarbamoyl)-4-pyridyl)oxy)phenyl)urea

RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn. of .omega.-carboxy(hetero)aryl substituted di-Ph urea raf kinase inhibitors by reacting arylisocyanates with arylamines)

RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L125 ANSWER 7 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:493376 CAPLUS

DOCUMENT NUMBER: 133:120155

TITLE: Preparation of .omega.-carboxy aryl substituted diphenyl ureas as p38 kinase inhibitors

INVENTOR(S): Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: PCT Int. Appl., 148 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 5


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000041698	A1	20000720	WO 2000-US768	20000113
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2359244	AA	20000720	CA 2000-2359244	20000113
EP 1158985	A1	20011205	EP 2000-905597	20000113
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			
US 2003139605	A1	20030724	US 2002-71248	20020211
US 2003105091	A1	20030605	US 2002-86417	20020304
PRIORITY APPLN. INFO.:			US 1999-115878P	P 19990113
			US 1999-257265	A2 19990225
			US 1999-425229	A2 19991022
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			WO 2000-US768	W 20000113
			US 2001-948915	A1 20010910

OTHER SOURCE(S): MARPAT 133:120155

ED Entered STN: 21 Jul 2000

GI



II

AB The title compds. ADB [I; D = NHCONH; A = substituted moiety of up to 40 carbon atoms of the formula L(ML1)q (wherein L = 5-6 membered cyclic

structure; L1 = substituted cyclic moiety having at least 5 members; M = bridging group having at least one atom; q = 1-3; each of L and L1 contains 0-4 members of the group consisting of N, O and S); B = (un)substituted up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D contg. 0-4 members of the group consisting of N, O and S], useful in treating p38 mediated diseases, were prepd. E.g., a multi-step synthesis of the urea II which showed IC50 of 1-10 .mu.M against p38, was given. Compds. I are effective at 0.01-200 mg/kg/day (oral administration).

IT 284461-42-3P 284461-43-4P 284461-49-0P

284461-75-2P 284461-76-3P 284461-81-0P


284462-22-2P 284462-23-3P 284462-31-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase inhibitors)


RN 284461-42-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 CAPLUS

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L125 ANSWER 8 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2003:201617 USPATFULL

TITLE: Method and/or process for preparing omega-carboxyaryl

substituted diphenyl ureas as raf kinas inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

Dumas, Jacques, Bethany, CT, UNITED STATES

Khire, Uday, Hamden, CT, UNITED STATES

Lowinger, Timothy B., Wuppertal, GERMANY, FEDERAL

REPUBLIC OF

Scott, William J., Guilford, CT, UNITED STATES

Smith, Roger A., Madison, CT, UNITED STATES

Wood, Jill E., North Haven, CT, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003139605	A1	20030724
APPLICATION INFO.:	US 2002-71248	A1	20020211 (10)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2001-948915, filed on 10 Sep 2001, PENDING Continuation of Ser. No. US 1999-425228, filed on 22 Oct 1999, ABANDONED		
	Continuation-in-part of Ser. No. US 1999-257266, filed on 25 Feb 1999, ABANDONED		

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
	US 1999-115878P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	25	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3287	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB This invention relates to the use of a group of aryl ureas in treating raf mediated diseases, and pharmaceutical compositions for use in such therapy of the formula

A--D--B wherein

D is --NH--C(O)--NH--

A is a substituted moiety of the formula: --L--(M--L^{sup.1}).sub.q, and

B is a substituted or unsubstituted up to tricyclic aryl or heteroaryl moiety with a t least one 6-member cyclic structure bound directly to D containing 0-4 members of the group consisting of nitrogen oxygen and sulfur.

L is a 5-6 membered cyclic structure bound directly to D,

L^{sup.1} comprises a substituted cyclic moiety having at least 5 members

M is a bridging group having at least one atom and q is an integer of from 1-3.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P


284461-75-2P 284461-76-3P 284461-81-0P

284462-22-2P 284462-23-3P 284462-31-3P

(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 9 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2003:153423 USPATFULL

TITLE: Omega-carboxy aryl substituted diphenyl ureas as p38 kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
 Dumas, Jacques, Orange, CT, UNITED STATES
 Khire, Uday, Hamden, CT, UNITED STATES
 Lowinger, Timothy B., Nishinomiya, JAPAN
 William, Scott J., Guilford, CT, UNITED STATES
 Smith, Roger A., Madison, CT, UNITED STATES
 Wood, Jill E., Hamden, CT, UNITED STATES
 Monahan, Mary-Katherine, Hamden, CT, UNITED STATES
 Naero, Reina, Hamden, CT, UNITED STATES
 Renick, Joel, Milford, CT, UNITED STATES
 Sibley, Robert N., North Haven, CT, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003105091	A1	20030605
APPLICATION INFO.:	US 2002-86417	A1	20020304 (10)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425229, filed on 22		

Oct 1999, ABANDONED Continuation-in-part of Ser. No. US 1999-257265, filed on 25 Feb 1999, ABANDONED

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115878P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	38	
EXEMPLARY CLAIM:	1	
LINE COUNT:	4076	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB This invention relates to the use of a group of aryl ureas in treating p38 mediated diseases, and pharmaceutical compositions for use in such therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P


284461-75-2P 284461-76-3P 284461-81-0P

284462-22-2P 284462-23-3P 284462-31-3P

(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 10 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2002:251820 USPATFULL

TITLE: Carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
Dumas, Jacques, Orange, CT, UNITED STATES
Khire, Uday, Hamden, CT, UNITED STATES
Lowinger, Timothy B., Nishinomiya City, CANADA
Scott, William J., Guilford, CT, UNITED STATES
Smith, Roger A., Madison, CT, UNITED STATES
Wood, Jill E., Hamden, CT, UNITED STATES
Monahan, Mary-Katherine, Hamden, CT, UNITED STATES
Natero, Reina, Hamden, CT, UNITED STATES
Renick, Joel, San Diego, CA, UNITED STATES
Sibley, Robert N., North Haven, CT, UNITED STATES

PATENT ASSIGNEE(S): BAYER CORPORATION, Pittsburgh, PA (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002137774	A1	20020926

APPLICATION INFO.: US 2001-907970 A1 20010719 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3732	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating raf mediated diseases, and pharmaceutical compositions for use in such therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 11 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2002:78859 USPATFULL

TITLE: Omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Uday, Khire, Hamden, CT, UNITED STATES
Dumas, Jacques, Orange, CT, UNITED STATES
Riedl, Bernd, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
Lowinger, Timothy B., Nishinomiya City, JAPAN
Scott, William J., Guilford, CT, UNITED STATES
Smith, Roger A., Madison, CT, UNITED STATES
Wood, Jill E., Hamden, CT, UNITED STATES
Monahan, Mary-Katherine, Hamden, CT, UNITED STATES
Natero, Reina, Hamden, CT, UNITED STATES
Joel, Renick, Milford, CT, UNITED STATES
Sibley, Robert N., North Haven, CT, UNITED STATES

PATENT ASSIGNEE(S): BAYER CORPORATION, Pittsburgh, PA, 15205 (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002042517	A1	20020411

APPLICATION INFO.: US 2001-948915 A1 20010910 (9)
RELATED APPLN. INFO.: Continuation of Ser. No. US 1999-425228, filed on 22
Oct 1999, ABANDONED Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED


	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3675	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating
raf mediated diseases, and pharmaceutical compositions for use in such
therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase
inhibitors)
RN 284461-42-3 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-43-4 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L11: ANSWER 12 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2001:188813 USPATFULL

TITLE: Omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, Germany, Federal Republic of
 Dumas, Jacques, Orange, CT, United States
 Khire, Uday, Hamden, CT, United States
 Lowinger, Timothy P., Nashnomya City, Japan
 Scott, William J., Guilford, CT, United States
 Smith, Roger A., Madison, CT, United States
 Wood, Jill E., Hamden, CT, United States
 Monahan, Mary-Katherine, Hamden, CT, United States
 Natero, Rena, Hamden, CT, United States
 Renick, Joel, Milford, CT, United States
 Sibley, Robert N., North Haven, CT, United States

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001034447	A1	20011025
APPLICATION INFO.:	US 2001-773604	A1	20010202 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425228, filed on 22		

Searched by Barb O'Bryen, STIC 571-272-2518

Oct 1999, PENDING Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED


	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3666	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating
raf mediated diseases, and pharmaceutical compositions for use in such
therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase
inhibitors)
RN 284461-42-3 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-43-4 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 13 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2001:171152 USPATFULL

TITLE: Omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, Germany, Federal Republic of
 Dumas, Jaques, Orange, CT, United States
 Khire, Uday, Hamden, CT, United States
 Lowinger, Timothy B., Nishinomiya City, Japan
 Scott, William J., Guilford, CT, United States
 Smith, Roger A., Madison, CT, United States
 Wood, Jill E., Hamden, CT, United States
 Monahan, Mary-Katherine, Hamden, CT, United States
 Natero, Reina, Hamden, CT, United States
 Renick, Joel, Milford, CT, United States
 Sibley, Robert N., Noth Haven, CT, United States

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001027202	A1	20011004
APPLICATION INFO.:	US 2001-773658	A1	20010202 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425228, filed on 22		

Oct 1999, PENDING Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., Arlington Courthouse Plaza I, Suite 1400, 2200 Clarendon Boulevard, Arlington, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3656	
CAS INDEXING IS AVAILABLE FOR THIS PATENT.		
AB	This invention relates to the use of a group of aryl ureas in treating raf mediated diseases, and pharmaceutical compositions for use in such therapy.	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P


284461-75-2P 284461-76-3P 284461-81-0P

284462-22-2P 284462-23-3P 284462-31-3P

(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase
inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 14 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2001:139616 USPATFULL

TITLE: Omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, Germany, Federal Republic of
Dumas, Jacques, Orange, CT, United States
Khire, Uday, Hamden, CT, United States
Lowinger, Timothy B., Nashnomya City, Japan
Scott, William J., Guilford, CT, United States
Smith, Roger A., Madison, CT, United States
Wood, Jill E., Hamden, CT, United States
Monahan, Mary-Katherine, Hamden, CT, United States
Natero, Rena, Hamden, CT, United States
Renick, Joel, Milford, CT, United States
Sibley, Robert N., North Haven, CT, United States

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001016659	A1	20010823
APPLICATION INFO.:	US 2001-773672	A1	20010202 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425228, filed on 22		

Oct 1999, PENDING Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED


	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON BLVD., SUITE 1400, ARLINGTON, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3652	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating
raf mediated diseases, and pharmaceutical compositions for use in such
therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase
inhibitors)
RN 284461-42-3 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284461-43-4 USPATFULL
CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL
CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 15 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2001:123628 USPATFULL

TITLE: omega-carboxyyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, Germany, Federal Republic of
Dumas, Jacques, Orange, CT, United States
Khire, Uday, Hamden, CT, United States.
Lowinger, Timothy B., Nishinomiya City, Japan
Scott, William J., Guilford, CT, United States
Smith, Roger A., Madison, CT, United States
Wood, Jill E., Hamden, CT, United States
Monahan, Mary-Katherine, Hamden, CT, United States
Natero, Reina, Hamden, CT, United States
Renick, Joel, Milford, CT, United States
Sibley, Robert N., North Haven, CT, United States

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001011136	A1	20010802
APPLICATION INFO.:	US 2001-773675	A1	20010202 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425228, filed on 22		

Oct 1999, PENDING Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., Suite 1400, 2200 Clarendon Blvd., Arlington, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3646	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating raf mediated diseases, and pharmaceutical compositions for use in such therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



L125 ANSWER 16 OF 16 USPATFULL on STN

ACCESSION NUMBER: 2001:123627 USPATFULL

TITLE: Omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

INVENTOR(S): Riedl, Bernd, Wuppertal, Germany, Federal Republic of
Dumas, Jacques, Orange, CT, United States
Khire, Uday, Hamden, CT, United States
Lowinger, Timothy B., Nishinomiya City, Japan
Scott, William J., Guilford, CT, United States
Smith, Roger A., Madison, CT, United States
Wood, Jill E., Hamden, CT, United States
Monahan, Mary-Katherine, Hamden, CT, United States
Natero, Reina, Hamden, CT, United States
Renick, Joel, Milford, CT, United States
Sibley, Robert N., North Haven, CT, United States

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001011135	A1	20010802
APPLICATION INFO.:	US 2001-773659	A1	20010202 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1999-425228, filed on 22		

Oct 1999, PENDING Continuation-in-part of Ser. No. US
1999-257266, filed on 25 Feb 1999, ABANDONED

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-115877P	19990113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	MILLEN, WHITE, ZELANO & BRANIGAN, P.C., Suite 1400, Arlington Courthouse Plaza 1, Arlington, VA, 22201	
NUMBER OF CLAIMS:	67	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3686	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


AB This invention relates to the use of a group of aryl ureas in treating
raf mediated diseases, and pharmaceutical compositions for use in such
therapy.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 284461-42-3P 284461-43-4P 284461-49-0P
284461-75-2P 284461-76-3P 284461-81-0P
284462-22-2P 284462-23-3P 284462-31-3P
(prepn. of .omega.-carboxy aryl substituted di-Ph ureas as p38 kinase
inhibitors)


RN 284461-42-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-43-4 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-49-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]
carbonyl]amino]-2-methylphenoxy]- (9CI) (CA INDEX NAME)




RN 284461-75-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]- (9CI) (CA INDEX NAME)




RN 284461-76-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284461-81-0 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-chloro-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]-2-methylphenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-22-2 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)




RN 284462-23-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[5-[[[4-bromo-3-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



RN 284462-31-3 USPATFULL

CN 2-Pyridinecarboxamide, 4-[3-[[[4-chloro-2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenoxy]-N-methyl- (9CI) (CA INDEX NAME)



FILE 'HOME' ENTERED AT 17:02:16 ON 09 MAR 2004

blockage of EGF signal transduction.


CONTROLLED TERM: Check Tags: Human
*Anticarcinogenic Agents: PD, pharmacology
Blotting, Northern
*Carcinoma, Non-Small-Cell Lung: DT, drug therapy
*Carcinoma, Non-Small-Cell Lung: ME, metabolism
Cell Division: DE, drug effects
*Gene Expression Regulation, Neoplastic: DE, drug effects
Genes, fos
Genes, myc
*Lung Neoplasms: DT, drug therapy
*Lung Neoplasms: ME, metabolism
RNA, Messenger: ME, metabolism
RNA, Neoplasm: ME, metabolism
*Receptor, Epidermal Growth Factor: BI, biosynthesis
Receptor, Epidermal Growth Factor: ME, metabolism
*Suramin: PD, pharmacology
Tumor Cells, Cultured
CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Anticarcinogenic Agents); 0 (RNA, Messenger); 0 (RNA, Neoplasm); EC 2.7.1.112 (Receptor, Epidermal Growth Factor)

L122 ANSWER 25 OF 28 MEDLINE on STN DUPLICATE 6
ACCESSION NUMBER: 96336811 MEDLINE
DOCUMENT NUMBER: PubMed ID: 8738403
TITLE: Intravesical suramin: a novel agent for the treatment of superficial transitional-cell carcinoma of the bladder.
AUTHOR: Walther M M; Figg W D; Linehan W M
CORPORATE SOURCE: Urologic Oncology Section, National Cancer Institute, Bethesda, MD 20892, USA.
SOURCE: World journal of urology, (1996) 14 Suppl 1 S8-11. Ref: 31
Journal code: 8307716. ISSN: 0724-4983.
PUB. COUNTRY: GERMANY: Germany, Federal Republic of
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
General Review; (REVIEW)
(REVIEW, TUTORIAL)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199612
ENTRY DATE: Entered STN: 19970128
Last Updated on STN: 19970128
Entered Medline: 19961202

ABSTRACT:

Patients with recurrent or high-grade superficial transitional-cell carcinoma of the **bladder** that has recurred after intravesical chemotherapy are at increased risk for tumor invasion and metastases. Intravesical chemotherapy is a minimally invasive technique that allows high doses of therapeutic agents to be delivered directly to the malignancy, doses that would not be tolerated systemically. In vitro studies demonstrate suramin's significant efficacy against transitional-cell carcinoma cell lines at relatively low doses. Humans treated with similar doses delivered in a systemic fashion have experienced no ***bladder*** toxicity. Suramin has been shown to block the binding of epidermal growth factor (EGF) to its receptors, which are found in large amounts in **bladder** cancers. Because a significant association has been found between the number of EGF receptors on a **bladder-cancer** cell and its sensitivity to suramin, transitional-cell carcinoma could potentially be very responsive to such therapy. On the basis of these findings, a phase I escalating-suramin-dose study is currently being conducted.

CONTROLLED TERM: Check Tags: Human
Administration, Intravesical
Animals
Antineoplastic Agents: AD, administration & dosage



*Antineoplastic Agents: TU, therapeutic use
*Bladder Neoplasms: DT, drug therapy
*Carcinoma, Transitional Cell: DT, drug therapy
Suramin: AD, administration & dosage
*Suramin: TU, therapeutic use
Treatment Outcome

CAS REGISTRY NO.: 145-63-1 (Suramin)
CHEMICAL NAME: 0 (Antineoplastic Agents)

L122 ANSWER 26 OF 28 MEDLINE on STN DUPLICATE 7
ACCESSION NUMBER: 91003939 MEDLINE
DOCUMENT NUMBER: PubMed ID: 2208069
TITLE: The concentration of glucose in the culture medium
determines the effect of suramin on the growth and
differentiation of the human colonic
adenocarcinoma cell clone HT29-D4.
AUTHOR: Rabenandrasana C; Baghdiguian S; Roccabianca M; Brunet M;
Marvaldi J; Fantini J
CORPORATE SOURCE: CNRS URA 202, Université de Provence, Marseille, France.
SOURCE: Cancer letters, (1990 Sep) 53 (2-3) 109-15.
Journal code: 7600053. ISSN: 0304-3835.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199011
ENTRY DATE: Entered STN: 19910117
Last Updated on STN: 19970203
Entered Medline: 19901115

ABSTRACT:

Suramin, a drug currently used for advanced malignancy, induces the differentiation of the human colonic adenocarcinoma cell clone HT29-D4 and this process is correlated with a decreased glycolytic activity. We investigated the effects of suramin on HT29-D4 cells in the presence of various glucose concentrations. The main result of this study is that suramin has only an effect on HT29-D4 cell growth and differentiation when the concentration of glucose is above 10 mM. Therefore the efficiency of suramin as an anticancer drug may be greater on poorly differentiated tumoral cells with a high proliferative capacity.

CONTROLLED TERM: Check Tags: Human; In Vitro; Support, Non-U.S. Gov't.


*Adenocarcinoma: DT, drug therapy
Adenocarcinoma: ME, metabolism
*Colonic Neoplasms: DT, drug therapy
Colonic Neoplasms: ME, metabolism
Culture Media
Glucose: ME, metabolism
*Glucose: PD, pharmacology
Microscopy, Electron
*Suramin: TU, therapeutic use
*Tumor Cells, Cultured: DE, drug effects
Tumor Cells, Cultured: ME, metabolism

CAS REGISTRY NO.: 145-63-1 (Suramin); 50-99-7 (Glucose)
CHEMICAL NAME: 0 (Culture Media)

L122 ANSWER 27 OF 28 MEDLINE on STN DUPLICATE 8
ACCESSION NUMBER: 89170311 MEDLINE
DOCUMENT NUMBER: PubMed ID: 2924693
TITLE: [Treatment of metastatic adrenal carcinoma with suramin].
Behandlung des metastasierten Nebennierenkarzinoms mit
Suramin.
AUTHOR: Allolio B; Jaursch-Hancke C; Reincke M; Arlt W; Metzler U;
Winkelmann W
CORPORATE SOURCE: Medizinische Universitätsklinik II und Poliklinik, Köln.

THIS PAGE BLANK (USPTO)

PAGE 1-B



24 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

24 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L123 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN

RN 145-63-1 REGISTRY

CN 1,3,5-Naphthalenetrisulfonic acid, 8,8'-[carbonylbis(imino-3,1-phenylenecarbonylimino(4-methyl-3,1-phenylene)carbonylimino)]bis- (9CI)
(CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1,3,5-Naphthalenetrisulfonic acid, 8,8'-[ureylenebis(m-phenylenecarbonylimino(4-methyl-m-phenylene)carbonylimino)]di- (8CI)

OTHER NAMES:

CN 8,8'-[Ureylenebis(m-phenylenecarbonylimino(4-methyl-m-phenylene)carbonylimino)]di-1,3,5-naphthalenetrisulfonic acid

CN Farma

CN Farma 939

CN Fourneau

CN Naganol

CN Suramin

CN Suramine

MF C51 H40 N6 O23 S6

CI COM

LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CBNB, CHEMCATS, CHEMLIST, CIN, DDFU, DRUGU, EMBASE, IMSDRUGNEWS, IMSRESEARCH, IPA, MEDLINE, NAPRALERT, NIOSHTIC, PHAR, PROMT, RTECS*, SYNTHLINE, TOXCENTER, TULSA, USAN, USPAT2, USPATFULL, VETU


(*File contains numerically searchable property data)

Other Sources: EINECS**


(**Enter CHEMLIST File for up-to-date regulatory information)

THIS PAGE BLANK (USPTO)

PAGE 1-A



PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1329 REFERENCES IN FILE CA (1907 TO DATE)
37 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
1332 REFERENCES IN FILE CAPLUS (1907 TO DATE)
3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

THIS PAGE BLANK (USPTO)

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1
DICTIONARY FILE UPDATES: 8 MAR 2004 HIGHEST RN 660388-34-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> s 145-63-1 or 154788-16-6

1 145-63-1
(145-63-1/RN)

1 154788-16-6
(154788-16-6/RN)

L123 2 145-63-1 OR 154788-16-6

Medline / Cancerlit hit Registry #'s

=> d ide 1-

YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

L123 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN

RN 154788-16-6 REGISTRY

CN 1,3-Naphthalenedisulfonic acid, 7,7'-[carbonylbis[imino(1-methyl-1H-pyrrole-4,2-diyl)carbonylimino(1-methyl-1H-pyrrole-4,2-diyl)carbonylimino]]bis-, tetrasodium salt (9CI) (CA INDEX NAME)

OTHER NAMES:

CN FCE 26644

CN PNU 145156E

CN PNU 151484


MF C45 H40 N10 O17 S4 . 4 Na

SR CA

LC STN Files: ADISINSIGHT, BIOSIS, CA, CANCERLIT, CAPLUS, IMSDRUGNEWS, IMSRESEARCH, MEDLINE, PHAR, PROMT, TOXCENTER, USPATFULL

CRN (159537-58-3)

PAGE 1-A



● 4 Na

THIS PAGE BLANK (USPTO)

***Neoplasms: DT, drug therapy**

Patient Selection

CAS REGISTRY NO.: 154788-16-6 (FCE 26644) - Registry record printed at the end of this section
CHEMICAL NAME: 0 (Angiogenesis Inhibitors); 0 (Distamycins)

L122 ANSWER 21 OF 28 MEDLINE on STN DUPLICATE 2
ACCESSION NUMBER: 2000302179 MEDLINE
DOCUMENT NUMBER: PubMed ID: 10845556
TITLE: Antiangiogenic, antitumoural and antimetastatic effects of two distamycin A derivatives with anti-HIV-1 Tat activity in a Kaposi's sarcoma-like murine model.
AUTHOR: Rossati L; Campioni D; Sola F; Leone L; Ferrante L; TrabANELLI C; Ciomei M; Montesi M; Rocchetti R; Talevi S; Bompadre S; Caputo A; Barbanti-Brodano G; Corallini A
CORPORATE SOURCE: Institute of Biomedical Sciences, University of Ancona, Italy.. possati@popcsi.unian.it
SOURCE: Clinical & experimental metastasis, (1999) 17 (7) 575-82. Journal code: 8409970. ISSN: 0262-0898.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals; AIDS
ENTRY MONTH: 200006
ENTRY DATE: Entered STN: 20000706
Last Updated on STN: 20000706
Entered Medline: 20000627

ABSTRACT:

The antiangiogenic, antitumoural and antimetastatic effects of two novel sulphonic derivatives of distamycin A, PNU145156E and PNU153429, were studied in a Kaposi's sarcoma-like tumour model obtained by injecting nude mice with cells releasing extracellular HIV-Tat protein, derived from a tumour which developed in a BK virus/tat transgenic mouse. Both PNU145156E and PNU153429 were administered intraperitoneally every fourth day for three weeks at doses of 100 or 50 mg/kg of body weight respectively, starting one day after injecting the tumour cells. Both drugs delayed tumour growth in nude mice, preventing neovascularization induced by the Tat protein. PNU153429 also significantly reduced the number and size of spontaneous tumour metastases. Both effects on tumour growth and metastases were augmented by treating simultaneously nude mice with 7.5 mg/kg of body weight of minocycline given per os daily for four weeks starting four days after injecting the tumour cells. Neither acute nor chronic toxic side-effects were observed during the life span of treated nude mice. Due to their antiangiogenic and anti-Tat effects, these drugs are promising for the treatment of Kaposi's sarcoma in AIDS patients.

CONTROLLED TERM: Check Tags: Female; Male; Support, Non-U.S. Gov't
Angiogenesis Inhibitors: PD, pharmacology
*Angiogenesis Inhibitors: TU, therapeutic use
Angiogenesis Inhibitors: TO, toxicity
Animals
Antineoplastic Agents: PD, pharmacology
*Antineoplastic Agents: TU, therapeutic use
Antineoplastic Agents: TO, toxicity
Antineoplastic Combined Chemotherapy Protocols: TU, therapeutic use
Distamycins: AD, administration & dosage
Distamycins: PD, pharmacology
*Distamycins: TU, therapeutic use
Distamycins: TO, toxicity
Drug Screening Assays, Antitumor
*Gene Products, tat: AI, antagonists & inhibitors
Genes, tat
*HIV-1: GE, genetics
Mice
Mice, Nude

THIS PAGE BLANK (USPTO)

Mice, Transgenic
Minocycline: AD, administration & dosage
*Neoplasm Metastasis: DT, drug therapy
*Neoplasm Proteins: AI, antagonists & inhibitors
Neoplasm Transplantation
*Neovascularization, Pathologic: DT, drug therapy
*Sarcoma, Kaposi: DT, drug therapy
Sarcoma, Kaposi: ET, etiology
Sarcoma, Kaposi: PA, pathology
Transfection

CAS REGISTRY NO.: 10118-90-8 (Minocycline); 154788-16-6 (FCE 26644)
CHEMICAL NAME: 0 (Angiogenesis Inhibitors); 0 (Antineoplastic Agents); 0
(Antineoplastic Combined Chemotherapy Protocols); 0
(Distamycins); 0 (Gene Products, tat); 0 (Neoplasm
Proteins); 0 (PNU 153429)

L122 ANSWER 22 OF 28 MEDLINE on STN DUPLICATE 3
ACCESSION NUMBER: 1999380181 MEDLINE
DOCUMENT NUMBER: PubMed ID: 10449994
TITLE: Effects of suramin on anastomotic colon tumors in
a rat model.
AUTHOR: Lauwers P; Hubens G; Hendriks J; Vermeulen P; Schuerwegh A;
Stevens W J; De Clerck L S; Dirix L; Van Marck E; Hubens A;
Eyskens E
CORPORATE SOURCE: Laboratory for Experimental Surgery and Department of
Immunology, 'Medisch Instituut Sint Augustinus', Antwerp,
Belgium.
SOURCE: European surgical research. Europäische chirurgische
Forschung. Recherches chirurgicales europeennes, (1999) 31
(4) 347-56.
Journal code: 0174752. ISSN: 0014-312X.
PUB. COUNTRY: Switzerland
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199910
ENTRY DATE: Entered STN: 19991101
Last Updated on STN: 19991101
Entered Medline: 19991021

ABSTRACT:

BACKGROUND: The development of antiangiogenic drugs offers new promise in the treatment of malignancy. Suramin has been reported to inhibit tumor growth by blocking angiogenesis and has been used in clinical trials. The aim of the present study was to examine the effects of suramin on colonic anastomotic tumors in the rat. METHODS: (a) Colonic anastomotic tumor was induced in 120 WAG/RIJ rats. Half of the animals were given 100 mg/kg of suramin intraperitoneally at the time of tumor induction. Rats were sacrificed after 2, 4 and 8 weeks; tumor take and tumor weight were evaluated. (b) The number of red blood cell clusters per x 400 field was counted in each tumor. (c) A lymphocyte transformation test was performed in four groups of animals, 2 weeks before and 2 weeks after tumor implantation and/or suramin administration. RESULTS: (a) A significant enhancement of tumor growth was observed in the suramin-treated animals. (b) This was accompanied by a significant increase in functional blood vessels. (c) Suramin-treated rats had markedly decreased lymphocyte stimulation, pointing to a possible immunosuppressive effect. CONCLUSIONS: The growth of an anastomotic ***colon*** tumor is rather enhanced by a single intraperitoneal administration of 100 mg/kg suramin in the rat, possibly by an unexpected immunosuppressive effect.

CONTROLLED TERM: Check Tags: Comparative Study; Male
Adenocarcinoma: BS, blood supply
*Adenocarcinoma: DT, drug therapy
Adenocarcinoma: IM, immunology

THIS PAGE BLANK (USPTO)